

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3P002	16	1/31/2012	43,680	4.4	ABB Combustion Engineering	16x16	439977			1		1		SFP	
4703	S3S529	16	1/31/2012	41,289	4.3	ABB Combustion Engineering	16x16	437589							SFP	
4703	S3S527	16	1/31/2012	41,254	4.31	ABB Combustion Engineering	16x16	437777							SFP	
4703	S3S535	16	1/31/2012	41,209	4.31	ABB Combustion Engineering	16x16	437872							SFP	
4703	S3S534	16	1/31/2012	41,142	4.31	ABB Combustion Engineering	16x16	437523							SFP	
4703	S3S549	16	1/31/2012	40,703	4.3	ABB Combustion Engineering	16x16	436121							SFP	
4703	S3S550	16	1/31/2012	40,677	4.3	ABB Combustion Engineering	16x16	435900							SFP	
4703	S3S548	16	1/31/2012	40,663	4.29	ABB Combustion Engineering	16x16	436440							SFP	
4703	S3S553	16	1/31/2012	40,621	4.29	ABB Combustion Engineering	16x16	436249							SFP	
4703	S3S555	16	1/31/2012	40,614	4.3	ABB Combustion Engineering	16x16	436238							SFP	
4703	S3S544	16	1/31/2012	40,526	4.3	ABB Combustion Engineering	16x16	436072							SFP	
4703	S3S552	16	1/31/2012	40,371	4.29	ABB Combustion Engineering	16x16	436623							SFP	
4703	S3S554	16	1/31/2012	40,355	4.3	ABB Combustion Engineering	16x16	436032							SFP	
4703	S3S407	16	1/31/2012	39,821	4.29	ABB Combustion Engineering	16x16	435582							SFP	
4703	S3S405	16	1/31/2012	39,782	4.3	ABB Combustion Engineering	16x16	436384							SFP	
4703	S3S406	16	1/31/2012	39,781	4.29	ABB Combustion Engineering	16x16	436698							SFP	
4703	S3S403	16	1/31/2012	39,762	4.29	ABB Combustion Engineering	16x16	435867							SFP	
4703	S3S408	16	1/31/2012	39,728	4.3	ABB Combustion Engineering	16x16	436476							SFP	
4703	S3S404	16	1/31/2012	39,632	4.3	ABB Combustion Engineering	16x16	436331							SFP	
4703	S3S402	16	1/31/2012	39,530	4.3	ABB Combustion Engineering	16x16	436132							SFP	
4703	S3S401	16	1/31/2012	39,466	4.3	ABB Combustion Engineering	16x16	436192							SFP	
4703	S3S531	16	1/31/2012	39,255	4.3	ABB Combustion Engineering	16x16	436673							SFP	
4703	S3S207	16	1/31/2012	39,201	4.31	ABB Combustion Engineering	16x16	438109							SFP	
4703	S3S202	16	1/31/2012	39,112	4.31	ABB Combustion Engineering	16x16	437715							SFP	
4703	S3S506	16	1/31/2012	39,112	4.3	ABB Combustion Engineering	16x16	437163							SFP	
4703	S3S209	16	1/31/2012	39,094	4.31	ABB Combustion Engineering	16x16	438510							SFP	
4703	S3S521	16	1/31/2012	39,071	4.29	ABB Combustion Engineering	16x16	438141							SFP	
4703	S3S208	16	1/31/2012	39,064	4.31	ABB Combustion Engineering	16x16	438044							SFP	
4703	S3S212	16	1/31/2012	39,061	4.31	ABB Combustion Engineering	16x16	437980							SFP	
4703	S3S505	16	1/31/2012	39,047	4.3	ABB Combustion Engineering	16x16	437051							SFP	
4703	S3S511	16	1/31/2012	39,017	4.3	ABB Combustion Engineering	16x16	437001							SFP	
4703	S3S211	16	1/31/2012	39,008	4.31	ABB Combustion Engineering	16x16	437781							SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3S532	16	1/31/2012	38,995	4.3	ABB Combustion Engineering	16x16	436642								SFP	
4703	S3S508	16	1/31/2012	38,991	4.3	ABB Combustion Engineering	16x16	437182								SFP	
4703	S3S542	16	1/31/2012	38,954	4.3	ABB Combustion Engineering	16x16	437012								SFP	
4703	S3S210	16	1/31/2012	38,900	4.31	ABB Combustion Engineering	16x16	438334								SFP	
4703	S3S201	16	1/31/2012	38,803	4.31	ABB Combustion Engineering	16x16	438115								SFP	
4703	S3S411	16	1/31/2012	38,687	4.3	ABB Combustion Engineering	16x16	436916								SFP	
4703	S3S409	16	1/31/2012	38,634	4.3	ABB Combustion Engineering	16x16	437746								SFP	
4703	S3S412	16	1/31/2012	38,473	4.3	ABB Combustion Engineering	16x16	437632								SFP	
4703	S3S410	16	1/31/2012	38,391	4.3	ABB Combustion Engineering	16x16	437094								SFP	
4703	S3S547	16	1/31/2012	37,772	4.3	ABB Combustion Engineering	16x16	436553								SFP	
4703	S3S551	16	1/31/2012	37,725	4.29	ABB Combustion Engineering	16x16	436634								SFP	
4703	S3S556	16	1/31/2012	37,692	4.3	ABB Combustion Engineering	16x16	436341								SFP	
4703	S3S525	16	1/31/2012	37,617	4.3	ABB Combustion Engineering	16x16	436639								SFP	
4703	S3S204	16	1/31/2012	37,565	4.31	ABB Combustion Engineering	16x16	437347								SFP	
4703	S3S205	16	1/31/2012	37,457	4.31	ABB Combustion Engineering	16x16	437784								SFP	
4703	S3S206	16	1/31/2012	37,443	4.31	ABB Combustion Engineering	16x16	437633								SFP	
4703	S3S203	16	1/31/2012	37,405	4.31	ABB Combustion Engineering	16x16	437606								SFP	
4703	S3S107	16	1/31/2012	35,771	4.32	ABB Combustion Engineering	16x16	438547								SFP	
4703	S3S105	16	1/31/2012	35,680	4.31	ABB Combustion Engineering	16x16	437718								SFP	
4703	S3S106	16	1/31/2012	35,624	4.31	ABB Combustion Engineering	16x16	437639								SFP	
4703	S3S512	16	1/31/2012	35,622	4.3	ABB Combustion Engineering	16x16	436912								SFP	
4703	S3S108	16	1/31/2012	35,602	4.32	ABB Combustion Engineering	16x16	438615								SFP	
4703	S3S541	16	1/31/2012	35,582	4.3	ABB Combustion Engineering	16x16	436537								SFP	
4703	S3S545	16	1/31/2012	35,574	4.3	ABB Combustion Engineering	16x16	437156								SFP	
4703	S3S310	16	1/31/2012	35,548	4.31	ABB Combustion Engineering	16x16	436355								SFP	
4703	S3S311	16	1/31/2012	35,546	4.31	ABB Combustion Engineering	16x16	436432								SFP	
4703	S3S104	16	1/31/2012	35,514	4.31	ABB Combustion Engineering	16x16	437086								SFP	
4703	S3S102	16	1/31/2012	35,440	4.31	ABB Combustion Engineering	16x16	437655								SFP	
4703	S3S539	16	1/31/2012	35,440	4.3	ABB Combustion Engineering	16x16	437144								SFP	
4703	S3S103	16	1/31/2012	35,404	4.31	ABB Combustion Engineering	16x16	437205								SFP	
4703	S3S101	16	1/31/2012	35,381	4.31	ABB Combustion Engineering	16x16	437238								SFP	
4703	S3S307	16	1/31/2012	35,340	4.31	ABB Combustion Engineering	16x16	436810								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3S305	16	1/31/2012	35,305	4.31	ABB Combustion Engineering	16x16	437362								SFP	
4703	S3S533	16	1/31/2012	35,271	4.3	ABB Combustion Engineering	16x16	436865								SFP	
4703	S3S303	16	1/31/2012	35,265	4.31	ABB Combustion Engineering	16x16	436908								SFP	
4703	S3S312	16	1/31/2012	35,224	4.31	ABB Combustion Engineering	16x16	436271								SFP	
4703	S3S540	16	1/31/2012	35,221	4.3	ABB Combustion Engineering	16x16	436912				1		1		SFP	
4703	S3S517	16	1/31/2012	35,184	4.3	ABB Combustion Engineering	16x16	437149								SFP	
4703	S3S301	16	1/31/2012	35,135	4.31	ABB Combustion Engineering	16x16	436954								SFP	
4703	S3S528	16	1/31/2012	35,090	4.3	ABB Combustion Engineering	16x16	437432		1						SFP	
4703	S3S302	16	1/31/2012	34,947	4.31	ABB Combustion Engineering	16x16	436501								SFP	
4703	S3S309	16	1/31/2012	34,731	4.31	ABB Combustion Engineering	16x16	437505								SFP	
4703	S3S304	16	1/31/2012	34,719	4.31	ABB Combustion Engineering	16x16	437769								SFP	
4703	S3S543	16	1/31/2012	34,491	4.3	ABB Combustion Engineering	16x16	436465		1						SFP	
4703	S3S509	16	1/31/2012	34,348	4.3	ABB Combustion Engineering	16x16	436879				1	1	1		SFP	
4703	S3S306	16	1/31/2012	34,331	4.31	ABB Combustion Engineering	16x16	437443								SFP	
4703	S3S308	16	1/31/2012	34,264	4.31	ABB Combustion Engineering	16x16	437266								SFP	
4703	S3S538	16	1/31/2012	34,223	4.29	ABB Combustion Engineering	16x16	437313								SFP	
4703	S3S504	16	1/31/2012	34,183	4.3	ABB Combustion Engineering	16x16	437035								SFP	
4703	S3S530	16	1/31/2012	34,099	4.3	ABB Combustion Engineering	16x16	437520		1						SFP	
4703	S3S523	16	1/31/2012	34,018	4.3	ABB Combustion Engineering	16x16	438080								SFP	
4703	S3S515	16	1/31/2012	34,010	4.3	ABB Combustion Engineering	16x16	437230								SFP	
4703	S3S524	16	1/31/2012	33,974	4.3	ABB Combustion Engineering	16x16	438166								SFP	
4703	S3S503	16	1/31/2012	33,963	4.3	ABB Combustion Engineering	16x16	437465								SFP	
4703	S3S518	16	1/31/2012	33,831	4.3	ABB Combustion Engineering	16x16	437961								SFP	
4703	S3S522	16	1/31/2012	33,801	4.3	ABB Combustion Engineering	16x16	438032								SFP	
4703	S3S501	16	1/31/2012	33,773	4.3	ABB Combustion Engineering	16x16	437499								SFP	
4703	S3S514	16	1/31/2012	33,753	4.3	ABB Combustion Engineering	16x16	437528								SFP	
4703	S3S519	16	1/31/2012	33,700	4.3	ABB Combustion Engineering	16x16	437758		1						SFP	
4703	S3S513	16	1/31/2012	33,664	4.3	ABB Combustion Engineering	16x16	437481								SFP	
4703	S3S502	16	1/31/2012	33,491	4.3	ABB Combustion Engineering	16x16	437427								SFP	
4703	S3S507	16	1/31/2012	33,482	4.3	ABB Combustion Engineering	16x16	437085		1						SFP	
4703	S3S516	16	1/31/2012	33,482	4.3	ABB Combustion Engineering	16x16	437156		1						SFP	
4703	S3S510	16	1/31/2012	33,362	4.3	ABB Combustion Engineering	16x16	436939		1						SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3S546	16	1/31/2012	33,336	4.3	ABB Combustion Engineering	16x16	437056							SFP	
4703	S3S537	16	1/31/2012	33,224	4.3	ABB Combustion Engineering	16x16	437551							SFP	
4703	S3S526	16	1/31/2012	33,035	4.3	ABB Combustion Engineering	16x16	436923							SFP	
4703	S3S536	16	1/31/2012	32,859	4.3	ABB Combustion Engineering	16x16	437633							SFP	
4703	S3S520	16	1/31/2012	32,793	4.29	ABB Combustion Engineering	16x16	437845	1						SFP	
4703	S3S005	16	1/31/2012	31,619	4.37	ABB Combustion Engineering	16x16	439660			1		1		SFP	
4703	S3S002	16	1/31/2012	31,515	4.37	ABB Combustion Engineering	16x16	439885			1		1		SFP	
4703	S3S008	16	1/31/2012	31,500	4.37	ABB Combustion Engineering	16x16	439725			1		1		SFP	
4703	S3S006	16	1/31/2012	31,396	4.37	ABB Combustion Engineering	16x16	440173			1	1	1		SFP	
4703	S3S007	16	1/31/2012	31,276	4.37	ABB Combustion Engineering	16x16	440405							SFP	
4703	S3S003	16	1/31/2012	31,199	4.37	ABB Combustion Engineering	16x16	440431			1		1		SFP	
4703	S3S004	16	1/31/2012	31,147	4.37	ABB Combustion Engineering	16x16	440421			1		1		SFP	
4703	S3S001	16	1/31/2012	31,026	4.37	ABB Combustion Engineering	16x16	440390			1		1		SFP	
4703	S3T526	16	1/31/2012	16,606	4.45	ABB Combustion Engineering	16x16	436279							SFP	
4703	S3T530	16	1/31/2012	16,528	4.45	ABB Combustion Engineering	16x16	436554							SFP	
4703	S3T551	16	1/31/2012	16,416	4.45	ABB Combustion Engineering	16x16	436757							SFP	
4703	S3T531	16	1/31/2012	16,386	4.45	ABB Combustion Engineering	16x16	436682							SFP	
4703	S3T501	16	1/31/2012	16,358	4.45	ABB Combustion Engineering	16x16	436563							SFP	
4703	S3T554	16	1/31/2012	16,357	4.45	ABB Combustion Engineering	16x16	436395							SFP	
4703	S3T503	16	1/31/2012	16,319	4.45	ABB Combustion Engineering	16x16	436329							SFP	
4703	S3T515	16	1/31/2012	16,299	4.45	ABB Combustion Engineering	16x16	436047							SFP	
4703	S3T516	16	1/31/2012	16,264	4.45	ABB Combustion Engineering	16x16	436554							SFP	
4703	S3T528	16	1/31/2012	16,248	4.45	ABB Combustion Engineering	16x16	436289							SFP	
4703	S3T508	16	1/31/2012	16,234	4.45	ABB Combustion Engineering	16x16	435820							SFP	
4703	S3T512	16	1/31/2012	16,232	4.45	ABB Combustion Engineering	16x16	437904							SFP	
4703	S3T522	16	1/31/2012	16,232	4.45	ABB Combustion Engineering	16x16	436662							SFP	
4703	S3T514	16	1/31/2012	16,227	4.45	ABB Combustion Engineering	16x16	436477							SFP	
4703	S3T525	16	1/31/2012	16,203	4.45	ABB Combustion Engineering	16x16	436011							SFP	
4703	S3T548	16	1/31/2012	16,195	4.46	ABB Combustion Engineering	16x16	436941							SFP	
4703	S3T510	16	1/31/2012	16,173	4.46	ABB Combustion Engineering	16x16	437068							SFP	
4703	S3T552	16	1/31/2012	16,165	4.45	ABB Combustion Engineering	16x16	436290							SFP	
4703	S3T511	16	1/31/2012	16,134	4.45	ABB Combustion Engineering	16x16	437396							SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3T523	16	1/31/2012	16,123	4.45	ABB Combustion Engineering	16x16	436489								SFP	
4703	S3T538	16	1/31/2012	16,103	4.46	ABB Combustion Engineering	16x16	436910								SFP	
4703	S3T505	16	1/31/2012	16,097	4.45	ABB Combustion Engineering	16x16	436839								SFP	
4703	S3T543	16	1/31/2012	16,080	4.46	ABB Combustion Engineering	16x16	437044								SFP	
4703	S3T410	16	1/31/2012	16,047	4.46	ABB Combustion Engineering	16x16	437179								SFP	
4703	S3T544	16	1/31/2012	16,022	4.45	ABB Combustion Engineering	16x16	437084								SFP	
4703	S3T309	16	1/31/2012	16,000	4.47	ABB Combustion Engineering	16x16	436858								SFP	
4703	S3T546	16	1/31/2012	16,000	4.46	ABB Combustion Engineering	16x16	436822								SFP	
4703	S3T539	16	1/31/2012	15,990	4.45	ABB Combustion Engineering	16x16	437117								SFP	
4703	S3T411	16	1/31/2012	15,989	4.46	ABB Combustion Engineering	16x16	437095								SFP	
4703	S3T404	16	1/31/2012	15,980	4.46	ABB Combustion Engineering	16x16	437011								SFP	
4703	S3T537	16	1/31/2012	15,972	4.46	ABB Combustion Engineering	16x16	436823								SFP	
4703	S3T301	16	1/31/2012	15,912	4.47	ABB Combustion Engineering	16x16	437240								SFP	
4703	S3T310	16	1/31/2012	15,899	4.46	ABB Combustion Engineering	16x16	437390								SFP	
4703	S3T547	16	1/31/2012	15,888	4.46	ABB Combustion Engineering	16x16	436732								SFP	
4703	S3T311	16	1/31/2012	15,886	4.46	ABB Combustion Engineering	16x16	437404								SFP	
4703	S3T409	16	1/31/2012	15,879	4.46	ABB Combustion Engineering	16x16	437248								SFP	
4703	S3T557	16	1/31/2012	15,789	4.45	ABB Combustion Engineering	16x16	436748								SFP	
4703	S3T549	16	1/31/2012	15,761	4.45	ABB Combustion Engineering	16x16	437039								SFP	
4703	S3T536	16	1/31/2012	15,751	4.45	ABB Combustion Engineering	16x16	436666								SFP	
4703	S3T527	16	1/31/2012	15,742	4.45	ABB Combustion Engineering	16x16	436659								SFP	
4703	S3T502	16	1/31/2012	15,692	4.45	ABB Combustion Engineering	16x16	436633								SFP	
4703	S3T541	16	1/31/2012	15,682	4.45	ABB Combustion Engineering	16x16	436428								SFP	
4703	S3T550	16	1/31/2012	15,681	4.45	ABB Combustion Engineering	16x16	436734								SFP	
4703	S3T545	16	1/31/2012	15,608	4.45	ABB Combustion Engineering	16x16	437106								SFP	
4703	S3T533	16	1/31/2012	15,591	4.45	ABB Combustion Engineering	16x16	436264								SFP	
4703	S3T535	16	1/31/2012	15,523	4.45	ABB Combustion Engineering	16x16	436783								SFP	
4703	S3T556	16	1/31/2012	15,504	4.45	ABB Combustion Engineering	16x16	436694								SFP	
4703	S3T553	16	1/31/2012	15,425	4.45	ABB Combustion Engineering	16x16	436402								SFP	
4703	S3T406	16	1/31/2012	15,108	4.46	ABB Combustion Engineering	16x16	436911								SFP	
4703	S3T405	16	1/31/2012	15,093	4.46	ABB Combustion Engineering	16x16	436955								SFP	
4703	S3T401	16	1/31/2012	15,089	4.46	ABB Combustion Engineering	16x16	436955								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3T403	16	1/31/2012	15,044	4.46	ABB Combustion Engineering	16x16	436908								SFP	
4703	S3T412	16	1/31/2012	15,021	4.46	ABB Combustion Engineering	16x16	436693								SFP	
4703	S3T402	16	1/31/2012	15,010	4.46	ABB Combustion Engineering	16x16	436983								SFP	
4703	S3T408	16	1/31/2012	14,999	4.46	ABB Combustion Engineering	16x16	436832								SFP	
4703	S3T407	16	1/31/2012	14,987	4.46	ABB Combustion Engineering	16x16	436559								SFP	
4703	S3T559	16	1/31/2012	14,734	4.45	ABB Combustion Engineering	16x16	436632								SFP	
4703	S3T524	16	1/31/2012	14,651	4.44	ABB Combustion Engineering	16x16	436053								SFP	
4703	S3T534	16	1/31/2012	14,639	4.45	ABB Combustion Engineering	16x16	436439								SFP	
4703	S3T521	16	1/31/2012	14,591	4.44	ABB Combustion Engineering	16x16	436338								SFP	
4703	S3T507	16	1/31/2012	14,574	4.45	ABB Combustion Engineering	16x16	435844								SFP	
4703	S3T509	16	1/31/2012	14,574	4.45	ABB Combustion Engineering	16x16	435844								SFP	
4703	S3T504	16	1/31/2012	14,565	4.45	ABB Combustion Engineering	16x16	436600								SFP	
4703	S3T560	16	1/31/2012	14,513	4.45	ABB Combustion Engineering	16x16	436595								SFP	
4703	S3T529	16	1/31/2012	14,468	4.45	ABB Combustion Engineering	16x16	436544								SFP	
4703	S3T519	16	1/31/2012	14,448	4.45	ABB Combustion Engineering	16x16	437230								SFP	
4703	S3T532	16	1/31/2012	14,445	4.45	ABB Combustion Engineering	16x16	436561								SFP	
4703	S3T520	16	1/31/2012	14,365	4.44	ABB Combustion Engineering	16x16	437235								SFP	
4703	S3T542	16	1/31/2012	13,684	4.45	ABB Combustion Engineering	16x16	436697								SFP	
4703	S3T558	16	1/31/2012	13,644	4.45	ABB Combustion Engineering	16x16	436668								SFP	
4703	S3T540	16	1/31/2012	13,606	4.46	ABB Combustion Engineering	16x16	436411								SFP	
4703	S3T518	16	1/31/2012	13,599	4.45	ABB Combustion Engineering	16x16	437232								SFP	
4703	S3T513	16	1/31/2012	13,526	4.45	ABB Combustion Engineering	16x16	437251								SFP	
4703	S3T704	16	1/31/2012	13,512	4.45	ABB Combustion Engineering	16x16	439233								SFP	
4703	S3T703	16	1/31/2012	13,504	4.45	ABB Combustion Engineering	16x16	439224								SFP	
4703	S3T702	16	1/31/2012	13,490	4.45	ABB Combustion Engineering	16x16	438973								SFP	
4703	S3T701	16	1/31/2012	13,461	4.45	ABB Combustion Engineering	16x16	439410								SFP	
4703	S3T555	16	1/31/2012	13,427	4.45	ABB Combustion Engineering	16x16	436634								SFP	
4703	S3T506	16	1/31/2012	13,280	4.45	ABB Combustion Engineering	16x16	436590								SFP	
4703	S3T517	16	1/31/2012	13,181	4.45	ABB Combustion Engineering	16x16	437165								SFP	
4703	S3T103	16	1/31/2012	12,467	4.45	ABB Combustion Engineering	16x16	438542								SFP	
4703	S3T101	16	1/31/2012	12,458	4.46	ABB Combustion Engineering	16x16	438062								SFP	
4703	S3T104	16	1/31/2012	12,390	4.45	ABB Combustion Engineering	16x16	438410								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3T102	16	1/31/2012	12,369	4.45	ABB Combustion Engineering	16x16	438395								SFP	
4703	S3T202	16	1/31/2012	12,009	4.46	ABB Combustion Engineering	16x16	438225								SFP	
4703	S3T203	16	1/31/2012	11,956	4.46	ABB Combustion Engineering	16x16	438212								SFP	
4703	S3T308	16	1/31/2012	11,913	4.47	ABB Combustion Engineering	16x16	437736								SFP	
4703	S3T208	16	1/31/2012	11,910	4.46	ABB Combustion Engineering	16x16	437978								SFP	
4703	S3T207	16	1/31/2012	11,902	4.46	ABB Combustion Engineering	16x16	438061								SFP	
4703	S3T206	16	1/31/2012	11,900	4.46	ABB Combustion Engineering	16x16	438090								SFP	
4703	S3T205	16	1/31/2012	11,888	4.46	ABB Combustion Engineering	16x16	437969								SFP	
4703	S3T204	16	1/31/2012	11,865	4.46	ABB Combustion Engineering	16x16	437928								SFP	
4703	S3T201	16	1/31/2012	11,823	4.46	ABB Combustion Engineering	16x16	438076								SFP	
4703	S3T307	16	1/31/2012	11,736	4.47	ABB Combustion Engineering	16x16	437304		1						SFP	
4703	S3T305	16	1/31/2012	11,464	4.47	ABB Combustion Engineering	16x16	437338		1						SFP	
4703	S3T306	16	1/31/2012	11,414	4.47	ABB Combustion Engineering	16x16	437426								SFP	
4703	S3T312	16	1/31/2012	11,412	4.46	ABB Combustion Engineering	16x16	437631		1						SFP	
4703	S3T302	16	1/31/2012	11,410	4.47	ABB Combustion Engineering	16x16	437638								SFP	
4703	S3T303	16	1/31/2012	11,277	4.47	ABB Combustion Engineering	16x16	437400								SFP	
4703	S3T304	16	1/31/2012	11,083	4.47	ABB Combustion Engineering	16x16	437422								SFP	
4703	S3T004	16	1/31/2012	9,730	4.51	ABB Combustion Engineering	16x16	441082								SFP	
4703	S3T604	16	1/31/2012	9,666	4.51	ABB Combustion Engineering	16x16	439291								SFP	
4703	S3T003	16	1/31/2012	9,655	4.51	ABB Combustion Engineering	16x16	441045								SFP	
4703	S3T603	16	1/31/2012	9,568	4.51	ABB Combustion Engineering	16x16	439130								SFP	
4703	S3T001	16	1/31/2012	9,503	4.51	ABB Combustion Engineering	16x16	441010								SFP	
4703	S3T002	16	1/31/2012	9,439	4.51	ABB Combustion Engineering	16x16	441239		1						SFP	
4703	S3T602	16	1/31/2012	9,331	4.51	ABB Combustion Engineering	16x16	439657								SFP	
4703	S3T601	16	1/31/2012	9,329	4.51	ABB Combustion Engineering	16x16	439387								SFP	C16: 12
4703	S3Q501	15	10/10/2010	52,581	4.44	ABB Combustion Engineering	16x16	436348								SFP	
4703	S3Q535	15	10/10/2010	52,503	4.44	ABB Combustion Engineering	16x16	435877								SFP	
4703	S3Q540	15	10/10/2010	52,292	4.44	ABB Combustion Engineering	16x16	435637								SFP	
4703	S3Q539	15	10/10/2010	52,250	4.44	ABB Combustion Engineering	16x16	435494								SFP	
4703	S3R502	15	10/10/2010	51,194	4.56	ABB Combustion Engineering	16x16	437047								SFP	
4703	S3R557	15	10/10/2010	51,138	4.56	ABB Combustion Engineering	16x16	437261								SFP	
4703	S3R521	15	10/10/2010	51,076	4.56	ABB Combustion Engineering	16x16	436450								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3R537	15	10/10/2010	51,067	4.56	ABB Combustion Engineering	16x16	437471								SFP	
4703	S3R538	15	10/10/2010	51,052	4.56	ABB Combustion Engineering	16x16	435695								SFP	
4703	S3R526	15	10/10/2010	51,037	4.56	ABB Combustion Engineering	16x16	436505								SFP	
4703	S3R501	15	10/10/2010	50,876	4.57	ABB Combustion Engineering	16x16	436953								SFP	
4703	S3R520	15	10/10/2010	50,810	4.56	ABB Combustion Engineering	16x16	436262								SFP	
4703	S3R522	15	10/10/2010	50,612	4.56	ABB Combustion Engineering	16x16	436751								SFP	
4703	S3Q002	15	10/10/2010	50,542	4.51	ABB Combustion Engineering	16x16	439973								SFP	
4703	S3R528	15	10/10/2010	50,505	4.56	ABB Combustion Engineering	16x16	436477								SFP	
4703	S3R514	15	10/10/2010	50,468	4.56	ABB Combustion Engineering	16x16	436241								SFP	
4703	S3R509	15	10/10/2010	50,423	4.56	ABB Combustion Engineering	16x16	436420								SFP	
4703	S3R513	15	10/10/2010	50,392	4.56	ABB Combustion Engineering	16x16	436306								SFP	
4703	S3R529	15	10/10/2010	50,371	4.56	ABB Combustion Engineering	16x16	436293								SFP	
4703	S3Q003	15	10/10/2010	50,348	4.51	ABB Combustion Engineering	16x16	440088								SFP	
4703	S3R524	15	10/10/2010	50,343	4.56	ABB Combustion Engineering	16x16	436646								SFP	
4703	S3R525	15	10/10/2010	50,250	4.56	ABB Combustion Engineering	16x16	436722								SFP	
4703	S3R505	15	10/10/2010	50,240	4.56	ABB Combustion Engineering	16x16	436683								SFP	
4703	S3R547	15	10/10/2010	50,220	4.57	ABB Combustion Engineering	16x16	435791								SFP	
4703	S3R549	15	10/10/2010	50,218	4.56	ABB Combustion Engineering	16x16	436508								SFP	
4703	S3R545	15	10/10/2010	50,202	4.56	ABB Combustion Engineering	16x16	436316								SFP	
4703	S3R511	15	10/10/2010	50,110	4.56	ABB Combustion Engineering	16x16	436876								SFP	
4703	S3R512	15	10/10/2010	50,105	4.56	ABB Combustion Engineering	16x16	436461								SFP	
4703	S3R523	15	10/10/2010	50,062	4.56	ABB Combustion Engineering	16x16	436497								SFP	
4703	S3R507	15	10/10/2010	50,057	4.56	ABB Combustion Engineering	16x16	436464								SFP	
4703	S3R402	15	10/10/2010	50,034	4.56	ABB Combustion Engineering	16x16	436936								SFP	
4703	S3Q004	15	10/10/2010	50,033	4.51	ABB Combustion Engineering	16x16	439875								SFP	
4703	S3R401	15	10/10/2010	49,997	4.56	ABB Combustion Engineering	16x16	436676								SFP	
4703	S3R404	15	10/10/2010	49,978	4.56	ABB Combustion Engineering	16x16	436817								SFP	
4703	S3R403	15	10/10/2010	49,941	4.56	ABB Combustion Engineering	16x16	436763								SFP	
4703	S3Q001	15	10/10/2010	49,897	4.5	ABB Combustion Engineering	16x16	440336								SFP	
4703	S3R546	15	10/10/2010	49,572	4.56	ABB Combustion Engineering	16x16	436027								SFP	
4703	S3R519	15	10/10/2010	49,451	4.56	ABB Combustion Engineering	16x16	436074								SFP	
4703	S3R540	15	10/10/2010	49,451	4.57	ABB Combustion Engineering	16x16	435133								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3R533	15	10/10/2010	49,428	4.55	ABB Combustion Engineering	16x16	435309								SFP	
4703	S3R534	15	10/10/2010	49,405	4.56	ABB Combustion Engineering	16x16	434772								SFP	
4703	S3R555	15	10/10/2010	49,403	4.56	ABB Combustion Engineering	16x16	435378								SFP	
4703	S3R539	15	10/10/2010	49,375	4.57	ABB Combustion Engineering	16x16	434266								SFP	
4703	S3R515	15	10/10/2010	49,286	4.56	ABB Combustion Engineering	16x16	435568								SFP	
4703	S3R542	15	10/10/2010	49,285	4.56	ABB Combustion Engineering	16x16	435218								SFP	
4703	S3R530	15	10/10/2010	49,276	4.55	ABB Combustion Engineering	16x16	435156								SFP	
4703	S3R541	15	10/10/2010	49,014	4.56	ABB Combustion Engineering	16x16	435177								SFP	
4703	S3R536	15	10/10/2010	48,939	4.56	ABB Combustion Engineering	16x16	435399								SFP	
4703	S3Q534	15	10/10/2010	48,774	4.44	ABB Combustion Engineering	16x16	435800								SFP	
4703	S3R302	15	10/10/2010	47,005	4.57	ABB Combustion Engineering	16x16	438072								SFP	
4703	S3R310	15	10/10/2010	46,862	4.58	ABB Combustion Engineering	16x16	436980								SFP	
4703	S3R312	15	10/10/2010	46,625	4.58	ABB Combustion Engineering	16x16	436544								SFP	
4703	S3R301	15	10/10/2010	46,529	4.57	ABB Combustion Engineering	16x16	437689								SFP	
4703	S3R105	15	10/10/2010	45,945	4.58	ABB Combustion Engineering	16x16	438500								SFP	
4703	S3R104	15	10/10/2010	45,908	4.57	ABB Combustion Engineering	16x16	438486								SFP	
4703	S3R106	15	10/10/2010	45,866	4.57	ABB Combustion Engineering	16x16	438612								SFP	
4703	S3R101	15	10/10/2010	45,770	4.58	ABB Combustion Engineering	16x16	438345								SFP	
4703	S3R102	15	10/10/2010	45,596	4.58	ABB Combustion Engineering	16x16	438714								SFP	
4703	S3R107	15	10/10/2010	45,574	4.58	ABB Combustion Engineering	16x16	438841								SFP	
4703	S3R108	15	10/10/2010	45,491	4.58	ABB Combustion Engineering	16x16	438757								SFP	
4703	S3R103	15	10/10/2010	45,448	4.58	ABB Combustion Engineering	16x16	438899								SFP	
4703	S3R002	15	10/10/2010	43,535	4.62	ABB Combustion Engineering	16x16	440077								SFP	
4703	S3R004	15	10/10/2010	43,524	4.64	ABB Combustion Engineering	16x16	438527								SFP	
4703	S3R003	15	10/10/2010	43,449	4.63	ABB Combustion Engineering	16x16	439553								SFP	
4703	S3R001	15	10/10/2010	43,444	4.62	ABB Combustion Engineering	16x16	439933								SFP	
4703	S3R306	15	10/10/2010	43,396	4.58	ABB Combustion Engineering	16x16	438545								SFP	
4703	S3R305	15	10/10/2010	43,283	4.58	ABB Combustion Engineering	16x16	438332								SFP	
4703	S3R007	15	10/10/2010	43,279	4.63	ABB Combustion Engineering	16x16	439619								SFP	
4703	S3R303	15	10/10/2010	43,213	4.58	ABB Combustion Engineering	16x16	438441								SFP	
4703	S3R311	15	10/10/2010	43,171	4.58	ABB Combustion Engineering	16x16	437423								SFP	
4703	S3R304	15	10/10/2010	43,109	4.58	ABB Combustion Engineering	16x16	438228								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3R307	15	10/10/2010	43,089	4.58	ABB Combustion Engineering	16x16	438229								SFP	
4703	S3R006	15	10/10/2010	43,059	4.64	ABB Combustion Engineering	16x16	438807								SFP	
4703	S3R008	15	10/10/2010	43,039	4.63	ABB Combustion Engineering	16x16	440473								SFP	
4703	S3R308	15	10/10/2010	42,949	4.58	ABB Combustion Engineering	16x16	437176								SFP	
4703	S3R005	15	10/10/2010	42,883	4.64	ABB Combustion Engineering	16x16	439100								SFP	
4703	S3R309	15	10/10/2010	42,856	4.58	ABB Combustion Engineering	16x16	437146								SFP	
4703	S3R558	15	10/10/2010	39,127	4.56	ABB Combustion Engineering	16x16	437047								SFP	
4703	S3R504	15	10/10/2010	39,046	4.56	ABB Combustion Engineering	16x16	437130								SFP	
4703	S3R503	15	10/10/2010	39,000	4.56	ABB Combustion Engineering	16x16	437098								SFP	
4703	S3R559	15	10/10/2010	38,893	4.56	ABB Combustion Engineering	16x16	436578								SFP	
4703	S3R560	15	10/10/2010	38,890	4.56	ABB Combustion Engineering	16x16	436716								SFP	
4703	S3R508	15	10/10/2010	38,876	4.56	ABB Combustion Engineering	16x16	436583								SFP	
4703	S3R506	15	10/10/2010	38,849	4.56	ABB Combustion Engineering	16x16	437146								SFP	
4703	S3R510	15	10/10/2010	38,768	4.56	ABB Combustion Engineering	16x16	436722								SFP	
4703	S3R553	15	10/10/2010	38,335	4.56	ABB Combustion Engineering	16x16	436107								SFP	
4703	S3R548	15	10/10/2010	38,276	4.56	ABB Combustion Engineering	16x16	435656								SFP	
4703	S3R543	15	10/10/2010	38,229	4.56	ABB Combustion Engineering	16x16	435643								SFP	
4703	S3R552	15	10/10/2010	38,222	4.56	ABB Combustion Engineering	16x16	436007		1						SFP	
4703	S3R412	15	10/10/2010	37,864	4.56	ABB Combustion Engineering	16x16	437323				1		1		SFP	
4703	S3R410	15	10/10/2010	37,839	4.56	ABB Combustion Engineering	16x16	437084								SFP	
4703	S3R405	15	10/10/2010	37,824	4.56	ABB Combustion Engineering	16x16	437263								SFP	
4703	S3R408	15	10/10/2010	37,759	4.56	ABB Combustion Engineering	16x16	437174								SFP	
4703	S3R556	15	10/10/2010	37,614	4.57	ABB Combustion Engineering	16x16	435344								SFP	
4703	S3R550	15	10/10/2010	37,595	4.56	ABB Combustion Engineering	16x16	436373								SFP	
4703	S3R411	15	10/10/2010	37,536	4.56	ABB Combustion Engineering	16x16	437083								SFP	
4703	S3R518	15	10/10/2010	37,510	4.56	ABB Combustion Engineering	16x16	436265		1						SFP	
4703	S3R551	15	10/10/2010	37,448	4.56	ABB Combustion Engineering	16x16	435529								SFP	
4703	S3R406	15	10/10/2010	37,427	4.56	ABB Combustion Engineering	16x16	437549								SFP	
4703	S3R409	15	10/10/2010	37,301	4.56	ABB Combustion Engineering	16x16	437178								SFP	
4703	S3R407	15	10/10/2010	37,297	4.56	ABB Combustion Engineering	16x16	437523								SFP	
4703	S3R531	15	10/10/2010	36,412	4.56	ABB Combustion Engineering	16x16	434983								SFP	
4703	S3R544	15	10/10/2010	36,266	4.55	ABB Combustion Engineering	16x16	435631								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3R532	15	10/10/2010	36,221	4.55	ABB Combustion Engineering	16x16	435654	1		1		1		SFP	
4703	S3R554	15	10/10/2010	36,181	4.56	ABB Combustion Engineering	16x16	434777							SFP	
4703	S3R535	15	10/10/2010	35,965	4.57	ABB Combustion Engineering	16x16	434679							SFP	
4703	S3R516	15	10/10/2010	35,820	4.56	ABB Combustion Engineering	16x16	435427			1		1		SFP	
4703	S3R527	15	10/10/2010	35,796	4.55	ABB Combustion Engineering	16x16	435793							SFP	
4703	S3R517	15	10/10/2010	35,666	4.56	ABB Combustion Engineering	16x16	435452							SFP	C15: 3
4703	S3P548	14	10/12/2008	55,085	4.35	ABB Combustion Engineering	16x16	436034							SFP	
4703	S3P526	14	10/12/2008	55,039	4.34	ABB Combustion Engineering	16x16	436858							SFP	
4703	S3P545	14	10/12/2008	55,006	4.35	ABB Combustion Engineering	16x16	435990							SFP	
4703	S3P540	14	10/12/2008	54,962	4.35	ABB Combustion Engineering	16x16	435611							SFP	
4703	S3P531	14	10/12/2008	54,762	4.35	ABB Combustion Engineering	16x16	435843							SFP	
4703	S3P501	14	10/12/2008	54,572	4.34	ABB Combustion Engineering	16x16	436469							SFP	
4703	S3P541	14	10/12/2008	54,563	4.35	ABB Combustion Engineering	16x16	435818							SFP	
4703	S3P508	14	10/12/2008	54,357	4.35	ABB Combustion Engineering	16x16	436159							SFP	
4703	S3P001	14	10/12/2008	51,330	4.41	ABB Combustion Engineering	16x16	440928							SFP	
4703	S3Q514	14	10/12/2008	49,939	4.45	ABB Combustion Engineering	16x16	436905							SFP	
4703	S3Q509	14	10/12/2008	49,931	4.45	ABB Combustion Engineering	16x16	436926							SFP	
4703	S3Q549	14	10/12/2008	49,908	4.45	ABB Combustion Engineering	16x16	436671							SFP	
4703	S3Q548	14	10/12/2008	49,879	4.45	ABB Combustion Engineering	16x16	436688							SFP	
4703	S3Q511	14	10/12/2008	49,756	4.45	ABB Combustion Engineering	16x16	437371							SFP	
4703	S3Q547	14	10/12/2008	49,647	4.45	ABB Combustion Engineering	16x16	436627							SFP	
4703	S3Q517	14	10/12/2008	49,641	4.45	ABB Combustion Engineering	16x16	436662							SFP	
4703	S3Q552	14	10/12/2008	49,607	4.45	ABB Combustion Engineering	16x16	437158							SFP	
4703	S3Q525	14	10/12/2008	49,458	4.45	ABB Combustion Engineering	16x16	436557							SFP	
4703	S3Q508	14	10/12/2008	49,435	4.45	ABB Combustion Engineering	16x16	436977							SFP	
4703	S3Q515	14	10/12/2008	49,416	4.45	ABB Combustion Engineering	16x16	436873							SFP	
4703	S3Q513	14	10/12/2008	49,385	4.45	ABB Combustion Engineering	16x16	436992							SFP	
4703	S3Q516	14	10/12/2008	49,339	4.45	ABB Combustion Engineering	16x16	436820							SFP	
4703	S3Q537	14	10/12/2008	49,304	4.45	ABB Combustion Engineering	16x16	436493							SFP	
4703	S3Q544	14	10/12/2008	49,278	4.45	ABB Combustion Engineering	16x16	436830							SFP	
4703	S3Q545	14	10/12/2008	49,224	4.44	ABB Combustion Engineering	16x16	437101							SFP	
4703	S3Q402	14	10/12/2008	48,890	4.44	ABB Combustion Engineering	16x16	436645							SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3Q408	14	10/12/2008	48,790	4.44	ABB Combustion Engineering	16x16	436573								SFP	
4703	S3Q404	14	10/12/2008	48,788	4.44	ABB Combustion Engineering	16x16	436965								SFP	
4703	S3Q523	14	10/12/2008	48,762	4.44	ABB Combustion Engineering	16x16	436807								SFP	
4703	S3Q401	14	10/12/2008	48,741	4.44	ABB Combustion Engineering	16x16	436731								SFP	
4703	S3Q533	14	10/12/2008	48,675	4.44	ABB Combustion Engineering	16x16	436196								SFP	
4703	S3Q526	14	10/12/2008	48,643	4.44	ABB Combustion Engineering	16x16	436902								SFP	
4703	S3Q541	14	10/12/2008	48,619	4.45	ABB Combustion Engineering	16x16	436217								SFP	
4703	S3Q527	14	10/12/2008	48,597	4.45	ABB Combustion Engineering	16x16	436772								SFP	
4703	S3Q550	14	10/12/2008	48,579	4.44	ABB Combustion Engineering	16x16	436747								SFP	
4703	S3Q506	14	10/12/2008	48,516	4.44	ABB Combustion Engineering	16x16	436815								SFP	
4703	S3Q524	14	10/12/2008	48,506	4.45	ABB Combustion Engineering	16x16	436793								SFP	
4703	S3Q532	14	10/12/2008	48,461	4.45	ABB Combustion Engineering	16x16	436235								SFP	
4703	S3Q519	14	10/12/2008	48,431	4.44	ABB Combustion Engineering	16x16	436213								SFP	
4703	S3Q406	14	10/12/2008	48,385	4.44	ABB Combustion Engineering	16x16	436964								SFP	
4703	S3Q403	14	10/12/2008	48,369	4.44	ABB Combustion Engineering	16x16	436765								SFP	
4703	S3Q529	14	10/12/2008	48,352	4.44	ABB Combustion Engineering	16x16	436483								SFP	
4703	S3Q407	14	10/12/2008	48,333	4.44	ABB Combustion Engineering	16x16	436588								SFP	
4703	S3Q528	14	10/12/2008	48,301	4.44	ABB Combustion Engineering	16x16	436643								SFP	
4703	S3Q405	14	10/12/2008	48,296	4.44	ABB Combustion Engineering	16x16	436944								SFP	
4703	S3Q510	14	10/12/2008	47,871	4.45	ABB Combustion Engineering	16x16	437589								SFP	
4703	S3Q551	14	10/12/2008	47,823	4.45	ABB Combustion Engineering	16x16	437455								SFP	
4703	S3Q304	14	10/12/2008	47,614	4.47	ABB Combustion Engineering	16x16	436949								SFP	
4703	S3Q307	14	10/12/2008	47,507	4.47	ABB Combustion Engineering	16x16	436862								SFP	
4703	S3Q512	14	10/12/2008	47,499	4.45	ABB Combustion Engineering	16x16	437569								SFP	
4703	S3Q305	14	10/12/2008	47,494	4.46	ABB Combustion Engineering	16x16	437247								SFP	
4703	S3Q308	14	10/12/2008	47,489	4.46	ABB Combustion Engineering	16x16	436900								SFP	
4703	S3Q546	14	10/12/2008	47,465	4.45	ABB Combustion Engineering	16x16	436900								SFP	
4703	S3Q302	14	10/12/2008	47,462	4.46	ABB Combustion Engineering	16x16	436703								SFP	
4703	S3Q306	14	10/12/2008	47,424	4.47	ABB Combustion Engineering	16x16	436834								SFP	
4703	S3Q303	14	10/12/2008	47,257	4.46	ABB Combustion Engineering	16x16	436693								SFP	
4703	S3Q301	14	10/12/2008	47,226	4.46	ABB Combustion Engineering	16x16	436290								SFP	
4703	S3Q504	14	10/12/2008	47,023	4.43	ABB Combustion Engineering	16x16	436344								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3P108	14	10/12/2008	46,934	4.37	ABB Combustion Engineering	16x16	437593								SFP	
4703	S3Q505	14	10/12/2008	46,900	4.43	ABB Combustion Engineering	16x16	436208								SFP	
4703	S3Q507	14	10/12/2008	46,831	4.43	ABB Combustion Engineering	16x16	436360								SFP	
4703	S3Q503	14	10/12/2008	46,722	4.43	ABB Combustion Engineering	16x16	436327								SFP	
4703	S3P106	14	10/12/2008	46,714	4.37	ABB Combustion Engineering	16x16	437708								SFP	
4703	S3P105	14	10/12/2008	46,622	4.37	ABB Combustion Engineering	16x16	437928								SFP	
4703	S3P107	14	10/12/2008	46,456	4.37	ABB Combustion Engineering	16x16	437877								SFP	
4703	S3P104	14	10/12/2008	46,170	4.36	ABB Combustion Engineering	16x16	437657								SFP	
4703	S3P102	14	10/12/2008	46,044	4.36	ABB Combustion Engineering	16x16	437536								SFP	
4703	S3P101	14	10/12/2008	45,956	4.36	ABB Combustion Engineering	16x16	437507								SFP	
4703	S3P103	14	10/12/2008	45,908	4.36	ABB Combustion Engineering	16x16	437487								SFP	
4703	S3Q216	14	10/12/2008	43,415	4.46	ABB Combustion Engineering	16x16	437712								SFP	
4703	S3Q204	14	10/12/2008	43,393	4.45	ABB Combustion Engineering	16x16	438383								SFP	
4703	S3Q206	14	10/12/2008	43,389	4.46	ABB Combustion Engineering	16x16	437560								SFP	
4703	S3Q215	14	10/12/2008	43,338	4.46	ABB Combustion Engineering	16x16	437511								SFP	
4703	S3Q209	14	10/12/2008	43,322	4.46	ABB Combustion Engineering	16x16	437493								SFP	
4703	S3Q207	14	10/12/2008	43,295	4.45	ABB Combustion Engineering	16x16	438334								SFP	
4703	S3Q214	14	10/12/2008	43,184	4.46	ABB Combustion Engineering	16x16	438220								SFP	
4703	S3Q208	14	10/12/2008	42,925	4.45	ABB Combustion Engineering	16x16	438373								SFP	
4703	S3Q106	14	10/12/2008	41,268	4.45	ABB Combustion Engineering	16x16	438596								SFP	
4703	S3Q103	14	10/12/2008	41,221	4.46	ABB Combustion Engineering	16x16	438228								SFP	
4703	S3Q101	14	10/12/2008	41,088	4.46	ABB Combustion Engineering	16x16	437842								SFP	
4703	S3Q104	14	10/12/2008	41,065	4.45	ABB Combustion Engineering	16x16	438930								SFP	
4703	S3Q107	14	10/12/2008	41,048	4.45	ABB Combustion Engineering	16x16	438729								SFP	
4703	S3Q102	14	10/12/2008	41,045	4.45	ABB Combustion Engineering	16x16	438630								SFP	
4703	S3Q108	14	10/12/2008	40,980	4.45	ABB Combustion Engineering	16x16	438672								SFP	
4703	S3Q105	14	10/12/2008	40,932	4.46	ABB Combustion Engineering	16x16	438046								SFP	
4703	S3Q007	14	10/12/2008	40,333	4.5	ABB Combustion Engineering	16x16	440263								SFP	
4703	S3Q006	14	10/12/2008	40,296	4.51	ABB Combustion Engineering	16x16	440044								SFP	
4703	S3Q005	14	10/12/2008	39,575	4.51	ABB Combustion Engineering	16x16	440107								SFP	
4703	S3Q008	14	10/12/2008	39,518	4.5	ABB Combustion Engineering	16x16	440848								SFP	
4703	S3Q202	14	10/12/2008	38,273	4.46	ABB Combustion Engineering	16x16	437662								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3Q213	14	10/12/2008	38,233	4.46	ABB Combustion Engineering	16x16	437197							SFP	
4703	S3Q212	14	10/12/2008	38,187	4.46	ABB Combustion Engineering	16x16	437192							SFP	
4703	S3Q201	14	10/12/2008	38,160	4.46	ABB Combustion Engineering	16x16	437086							SFP	
4703	S3Q205	14	10/12/2008	38,132	4.46	ABB Combustion Engineering	16x16	437069							SFP	
4703	S3Q211	14	10/12/2008	38,073	4.46	ABB Combustion Engineering	16x16	437185							SFP	
4703	S3Q210	14	10/12/2008	38,028	4.46	ABB Combustion Engineering	16x16	437264							SFP	
4703	S3Q203	14	10/12/2008	37,880	4.46	ABB Combustion Engineering	16x16	437384							SFP	
4703	S3Q542	14	10/12/2008	37,618	4.44	ABB Combustion Engineering	16x16	436622							SFP	
4703	S3Q520	14	10/12/2008	37,495	4.44	ABB Combustion Engineering	16x16	436772							SFP	
4703	S3Q521	14	10/12/2008	37,479	4.44	ABB Combustion Engineering	16x16	436948							SFP	
4703	S3Q522	14	10/12/2008	37,473	4.44	ABB Combustion Engineering	16x16	436861							SFP	
4703	S3Q543	14	10/12/2008	37,436	4.44	ABB Combustion Engineering	16x16	436707							SFP	
4703	S3Q518	14	10/12/2008	37,345	4.44	ABB Combustion Engineering	16x16	436483							SFP	
4703	S3Q530	14	10/12/2008	37,335	4.44	ABB Combustion Engineering	16x16	436895							SFP	
4703	S3Q531	14	10/12/2008	37,281	4.44	ABB Combustion Engineering	16x16	436426							SFP	
4703	S3Q502	14	10/12/2008	37,226	4.44	ABB Combustion Engineering	16x16	436319							SFP	
4703	S3Q536	14	10/12/2008	37,137	4.45	ABB Combustion Engineering	16x16	435723			1		1		SFP	
4703	S3Q538	14	10/12/2008	37,052	4.44	ABB Combustion Engineering	16x16	435762							SFP	C14: 0
4703	S3K253	13	10/16/2006	51,343	3.97	ABB Combustion Engineering	16x16	402618							SFP	
4703	S3P523	13	10/16/2006	49,953	4.35	ABB Combustion Engineering	16x16	437231							SFP	
4703	S3P518	13	10/16/2006	49,853	4.35	ABB Combustion Engineering	16x16	437341							SFP	
4703	S3P522	13	10/16/2006	49,837	4.35	ABB Combustion Engineering	16x16	437383							SFP	
4703	S3P528	13	10/16/2006	49,803	4.35	ABB Combustion Engineering	16x16	437374							SFP	
4703	S3P516	13	10/16/2006	49,684	4.35	ABB Combustion Engineering	16x16	436978							SFP	
4703	S3P521	13	10/16/2006	49,660	4.36	ABB Combustion Engineering	16x16	437273							SFP	
4703	S3P517	13	10/16/2006	49,659	4.35	ABB Combustion Engineering	16x16	437268							SFP	
4703	S3P543	13	10/16/2006	49,623	4.35	ABB Combustion Engineering	16x16	435997							SFP	
4703	S3P520	13	10/16/2006	49,582	4.35	ABB Combustion Engineering	16x16	437264							SFP	
4703	S3P513	13	10/16/2006	49,571	4.35	ABB Combustion Engineering	16x16	436779							SFP	
4703	S3P507	13	10/16/2006	49,558	4.35	ABB Combustion Engineering	16x16	436342							SFP	
4703	S3P502	13	10/16/2006	49,533	4.34	ABB Combustion Engineering	16x16	436394							SFP	
4703	S3P515	13	10/16/2006	49,481	4.35	ABB Combustion Engineering	16x16	436953							SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3P509	13	10/16/2006	49,457	4.35	ABB Combustion Engineering	16x16	436407								SFP	
4703	S3P519	13	10/16/2006	49,417	4.35	ABB Combustion Engineering	16x16	437121								SFP	
4703	S3P514	13	10/16/2006	49,413	4.35	ABB Combustion Engineering	16x16	436599								SFP	
4703	S3P556	13	10/16/2006	49,405	4.35	ABB Combustion Engineering	16x16	436230								SFP	
4703	S3P560	13	10/16/2006	49,382	4.34	ABB Combustion Engineering	16x16	436292								SFP	
4703	S3P532	13	10/16/2006	49,372	4.35	ABB Combustion Engineering	16x16	436782								SFP	
4703	S3P527	13	10/16/2006	49,349	4.35	ABB Combustion Engineering	16x16	437007								SFP	
4703	S3P539	13	10/16/2006	49,320	4.35	ABB Combustion Engineering	16x16	435411								SFP	
4703	S3P529	13	10/16/2006	49,311	4.34	ABB Combustion Engineering	16x16	436953								SFP	
4703	S3P534	13	10/16/2006	49,277	4.35	ABB Combustion Engineering	16x16	436546								SFP	
4703	S3P533	13	10/16/2006	49,254	4.35	ABB Combustion Engineering	16x16	436880								SFP	
4703	S3P505	13	10/16/2006	49,231	4.35	ABB Combustion Engineering	16x16	436439								SFP	
4703	S3P525	13	10/16/2006	49,225	4.34	ABB Combustion Engineering	16x16	437110								SFP	
4703	S3P506	13	10/16/2006	49,212	4.35	ABB Combustion Engineering	16x16	436603								SFP	
4703	S3P503	13	10/16/2006	49,194	4.34	ABB Combustion Engineering	16x16	436276								SFP	
4703	S3P524	13	10/16/2006	49,071	4.34	ABB Combustion Engineering	16x16	436118								SFP	
4703	S3P535	13	10/16/2006	48,843	4.34	ABB Combustion Engineering	16x16	435695								SFP	
4703	S3P536	13	10/16/2006	48,829	4.34	ABB Combustion Engineering	16x16	435594								SFP	
4703	S3P546	13	10/16/2006	48,823	4.34	ABB Combustion Engineering	16x16	435576								SFP	
4703	S3P504	13	10/16/2006	48,750	4.34	ABB Combustion Engineering	16x16	436446								SFP	
4703	S3P547	13	10/16/2006	48,717	4.34	ABB Combustion Engineering	16x16	435708								SFP	
4703	S3P512	13	10/16/2006	48,668	4.34	ABB Combustion Engineering	16x16	435846								SFP	
4703	S3P537	13	10/16/2006	48,586	4.34	ABB Combustion Engineering	16x16	435743								SFP	
4703	S3P544	13	10/16/2006	48,573	4.35	ABB Combustion Engineering	16x16	435964								SFP	
4703	S3P538	13	10/16/2006	48,552	4.34	ABB Combustion Engineering	16x16	435561								SFP	
4703	S3P530	13	10/16/2006	48,444	4.34	ABB Combustion Engineering	16x16	436871								SFP	
4703	S3P552	13	10/16/2006	48,295	4.34	ABB Combustion Engineering	16x16	435838								SFP	
4703	S3P555	13	10/16/2006	48,292	4.35	ABB Combustion Engineering	16x16	436041								SFP	
4703	S3P551	13	10/16/2006	48,200	4.34	ABB Combustion Engineering	16x16	435823								SFP	
4703	S3P558	13	10/16/2006	48,170	4.34	ABB Combustion Engineering	16x16	435780								SFP	
4703	S3P559	13	10/16/2006	48,158	4.34	ABB Combustion Engineering	16x16	436330								SFP	
4703	S3P215	13	10/16/2006	47,175	4.36	ABB Combustion Engineering	16x16	438069								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3P405	13	10/16/2006	47,021	4.34	ABB Combustion Engineering	16x16	436516								SFP	
4703	S3N003	13	10/16/2006	46,994	4.55	ABB Combustion Engineering	16x16	439291								SFP	
4703	S3P205	13	10/16/2006	46,976	4.36	ABB Combustion Engineering	16x16	438350								SFP	
4703	S3N014	13	10/16/2006	46,970	4.55	ABB Combustion Engineering	16x16	439426								SFP	
4703	S3P210	13	10/16/2006	46,956	4.36	ABB Combustion Engineering	16x16	438415								SFP	
4703	S3P206	13	10/16/2006	46,950	4.36	ABB Combustion Engineering	16x16	438123								SFP	
4703	S3P201	13	10/16/2006	46,929	4.36	ABB Combustion Engineering	16x16	438163								SFP	
4703	S3N013	13	10/16/2006	46,861	4.55	ABB Combustion Engineering	16x16	439341								SFP	
4703	S3P213	13	10/16/2006	46,782	4.36	ABB Combustion Engineering	16x16	438479								SFP	
4703	S3N007	13	10/16/2006	46,775	4.55	ABB Combustion Engineering	16x16	439218								SFP	
4703	S3N015	13	10/16/2006	46,745	4.55	ABB Combustion Engineering	16x16	439645								SFP	
4703	S3P211	13	10/16/2006	46,722	4.36	ABB Combustion Engineering	16x16	438505								SFP	
4703	S3P402	13	10/16/2006	46,670	4.34	ABB Combustion Engineering	16x16	437178								SFP	
4703	S3N005	13	10/16/2006	46,662	4.55	ABB Combustion Engineering	16x16	439320								SFP	
4703	S3P404	13	10/16/2006	46,630	4.34	ABB Combustion Engineering	16x16	436788								SFP	
4703	S3N008	13	10/16/2006	46,618	4.55	ABB Combustion Engineering	16x16	439214								SFP	
4703	S3P401	13	10/16/2006	46,562	4.34	ABB Combustion Engineering	16x16	436302								SFP	
4703	S3P408	13	10/16/2006	46,476	4.35	ABB Combustion Engineering	16x16	437260								SFP	
4703	S3P403	13	10/16/2006	46,352	4.35	ABB Combustion Engineering	16x16	437099								SFP	
4703	S3N006	13	10/16/2006	46,322	4.55	ABB Combustion Engineering	16x16	439439								SFP	
4703	S3P406	13	10/16/2006	46,246	4.35	ABB Combustion Engineering	16x16	437190								SFP	
4703	S3P407	13	10/16/2006	46,228	4.35	ABB Combustion Engineering	16x16	437355								SFP	
4703	S3P212	13	10/16/2006	46,207	4.36	ABB Combustion Engineering	16x16	438363								SFP	
4703	S3P208	13	10/16/2006	43,313	4.36	ABB Combustion Engineering	16x16	437921								SFP	
4703	S3P216	13	10/16/2006	43,190	4.36	ABB Combustion Engineering	16x16	437786								SFP	
4703	S3P207	13	10/16/2006	43,020	4.36	ABB Combustion Engineering	16x16	437975								SFP	
4703	S3P202	13	10/16/2006	42,745	4.36	ABB Combustion Engineering	16x16	437674								SFP	
4703	S3N517	13	10/16/2006	42,640	4.48	ABB Combustion Engineering	16x16	436044								SFP	
4703	S3N553	13	10/16/2006	42,557	4.49	ABB Combustion Engineering	16x16	435018								SFP	
4703	S3P214	13	10/16/2006	42,497	4.35	ABB Combustion Engineering	16x16	437557								SFP	
4703	S3N544	13	10/16/2006	42,495	4.48	ABB Combustion Engineering	16x16	435553								SFP	
4703	S3P203	13	10/16/2006	42,483	4.36	ABB Combustion Engineering	16x16	437949								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3P209	13	10/16/2006	42,445	4.36	ABB Combustion Engineering	16x16	437556								SFP	
4703	S3N557	13	10/16/2006	42,374	4.5	ABB Combustion Engineering	16x16	434305								SFP	
4703	S3P204	13	10/16/2006	42,327	4.36	ABB Combustion Engineering	16x16	438100								SFP	
4703	S3N533	13	10/16/2006	42,309	4.48	ABB Combustion Engineering	16x16	435594								SFP	
4703	S3N552	13	10/16/2006	42,305	4.49	ABB Combustion Engineering	16x16	435129								SFP	
4703	S3N555	13	10/16/2006	41,860	4.49	ABB Combustion Engineering	16x16	435068								SFP	
4703	S3N538	13	10/16/2006	41,781	4.48	ABB Combustion Engineering	16x16	435450								SFP	
4703	S3P007	13	10/16/2006	38,910	4.41	ABB Combustion Engineering	16x16	440783								SFP	
4703	S3P003	13	10/16/2006	38,909	4.4	ABB Combustion Engineering	16x16	440142								SFP	
4703	S3P006	13	10/16/2006	38,204	4.41	ABB Combustion Engineering	16x16	441129								SFP	
4703	S3P005	13	10/16/2006	38,179	4.41	ABB Combustion Engineering	16x16	441104								SFP	
4703	S3P542	13	10/16/2006	36,063	4.34	ABB Combustion Engineering	16x16	436245								SFP	
4703	S3P549	13	10/16/2006	35,985	4.34	ABB Combustion Engineering	16x16	435819								SFP	
4703	S3P550	13	10/16/2006	35,930	4.34	ABB Combustion Engineering	16x16	436000								SFP	
4703	S3P553	13	10/16/2006	35,790	4.34	ABB Combustion Engineering	16x16	435836								SFP	
4703	S3P557	13	10/16/2006	35,704	4.34	ABB Combustion Engineering	16x16	436298								SFP	
4703	S3P510	13	10/16/2006	35,703	4.34	ABB Combustion Engineering	16x16	436221								SFP	
4703	S3P511	13	10/16/2006	35,655	4.34	ABB Combustion Engineering	16x16	436070								SFP	
4703	S3P008	13	10/16/2006	35,606	4.4	ABB Combustion Engineering	16x16	440147								SFP	
4703	S3P554	13	10/16/2006	35,530	4.35	ABB Combustion Engineering	16x16	435884								SFP	
4703	S3P004	13	10/16/2006	35,263	4.41	ABB Combustion Engineering	16x16	440885								SFP	C13: 0
4703	S3K243	12	9/27/2004	50,009	3.96	ABB Combustion Engineering	16x16	402166								SFP	
4703	S3N406	12	9/27/2004	49,984	4.49	ABB Combustion Engineering	16x16	437488								SFP	
4703	S3N523	12	9/27/2004	49,888	4.49	ABB Combustion Engineering	16x16	436484								SFP	
4703	S3N535	12	9/27/2004	49,437	4.49	ABB Combustion Engineering	16x16	436276								SFP	
4703	S3N547	12	9/27/2004	49,294	4.49	ABB Combustion Engineering	16x16	436092								SFP	
4703	S3N509	12	9/27/2004	49,281	4.48	ABB Combustion Engineering	16x16	436485								SFP	
4703	S3N525	12	9/27/2004	49,249	4.48	ABB Combustion Engineering	16x16	436674								SFP	
4703	S3N408	12	9/27/2004	49,238	4.48	ABB Combustion Engineering	16x16	438004								SFP	
4703	S3N526	12	9/27/2004	49,178	4.48	ABB Combustion Engineering	16x16	436685								SFP	
4703	S3N560	12	9/27/2004	49,151	4.5	ABB Combustion Engineering	16x16	435298								SFP	
4703	S3N512	12	9/27/2004	49,085	4.48	ABB Combustion Engineering	16x16	436627								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3N411	12	9/27/2004	49,006	4.48	ABB Combustion Engineering	16x16	437780								SFP	
4703	S3N536	12	9/27/2004	48,998	4.48	ABB Combustion Engineering	16x16	436204								SFP	
4703	S3N541	12	9/27/2004	48,994	4.48	ABB Combustion Engineering	16x16	436988								SFP	
4703	S3N508	12	9/27/2004	48,906	4.48	ABB Combustion Engineering	16x16	436460								SFP	
4703	S3N524	12	9/27/2004	48,874	4.49	ABB Combustion Engineering	16x16	436260								SFP	
4703	S3N407	12	9/27/2004	48,847	4.49	ABB Combustion Engineering	16x16	437978								SFP	
4703	S3N531	12	9/27/2004	48,795	4.48	ABB Combustion Engineering	16x16	436144								SFP	
4703	S3N514	12	9/27/2004	48,745	4.48	ABB Combustion Engineering	16x16	436695								SFP	
4703	S3N521	12	9/27/2004	48,676	4.49	ABB Combustion Engineering	16x16	435849								SFP	
4703	S3N520	12	9/27/2004	48,614	4.49	ABB Combustion Engineering	16x16	436076								SFP	
4703	S3N522	12	9/27/2004	48,577	4.49	ABB Combustion Engineering	16x16	435782								SFP	
4703	S3N506	12	9/27/2004	48,530	4.48	ABB Combustion Engineering	16x16	436368								SFP	
4703	S3N516	12	9/27/2004	48,517	4.48	ABB Combustion Engineering	16x16	436219								SFP	
4703	S3N510	12	9/27/2004	48,185	4.48	ABB Combustion Engineering	16x16	436571								SFP	
4703	S3N549	12	9/27/2004	48,091	4.49	ABB Combustion Engineering	16x16	436013								SFP	
4703	S3N519	12	9/27/2004	48,028	4.49	ABB Combustion Engineering	16x16	435859								SFP	
4703	S3N556	12	9/27/2004	47,982	4.49	ABB Combustion Engineering	16x16	434669								SFP	
4703	S3N530	12	9/27/2004	47,959	4.48	ABB Combustion Engineering	16x16	436297								SFP	
4703	S3N507	12	9/27/2004	47,738	4.48	ABB Combustion Engineering	16x16	436453								SFP	
4703	S3N559	12	9/27/2004	47,620	4.5	ABB Combustion Engineering	16x16	434920								SFP	
4703	S3N511	12	9/27/2004	47,528	4.48	ABB Combustion Engineering	16x16	436357								SFP	
4703	S3N534	12	9/27/2004	47,482	4.48	ABB Combustion Engineering	16x16	435910								SFP	
4703	S3N548	12	9/27/2004	47,315	4.49	ABB Combustion Engineering	16x16	435487								SFP	
4703	S3N303	12	9/27/2004	47,300	4.49	ABB Combustion Engineering	16x16	437502								SFP	
4703	S3N529	12	9/27/2004	47,240	4.48	ABB Combustion Engineering	16x16	436075								SFP	
4703	S3N532	12	9/27/2004	47,186	4.48	ABB Combustion Engineering	16x16	435939								SFP	
4703	S3N537	12	9/27/2004	47,128	4.49	ABB Combustion Engineering	16x16	435949								SFP	
4703	S3N527	12	9/27/2004	47,090	4.49	ABB Combustion Engineering	16x16	436919								SFP	
4703	S3N304	12	9/27/2004	47,056	4.5	ABB Combustion Engineering	16x16	437410								SFP	
4703	S3N546	12	9/27/2004	47,032	4.49	ABB Combustion Engineering	16x16	435638								SFP	
4703	S3N513	12	9/27/2004	47,014	4.48	ABB Combustion Engineering	16x16	436508								SFP	
4703	S3N528	12	9/27/2004	46,981	4.49	ABB Combustion Engineering	16x16	436882								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3N302	12	9/27/2004	46,898	4.5	ABB Combustion Engineering	16x16	437433							SFP	
4703	S3N301	12	9/27/2004	46,836	4.49	ABB Combustion Engineering	16x16	437148							SFP	
4703	S3N558	12	9/27/2004	46,744	4.5	ABB Combustion Engineering	16x16	434615							SFP	
4703	S3N505	12	9/27/2004	46,691	4.49	ABB Combustion Engineering	16x16	436634							SFP	
4703	S3N503	12	9/27/2004	46,605	4.49	ABB Combustion Engineering	16x16	436514							SFP	
4703	S3N403	12	9/27/2004	46,574	4.48	ABB Combustion Engineering	16x16	436430							SFP	
4703	S3N402	12	9/27/2004	46,518	4.48	ABB Combustion Engineering	16x16	436473							SFP	
4703	S3N518	12	9/27/2004	46,503	4.48	ABB Combustion Engineering	16x16	436066							SFP	
4703	S3N401	12	9/27/2004	46,441	4.48	ABB Combustion Engineering	16x16	436370							SFP	
4703	S3M001	12	9/27/2004	46,383	4.32	ABB Combustion Engineering	16x16	439764							SFP	
4703	S3N404	12	9/27/2004	46,258	4.48	ABB Combustion Engineering	16x16	436748							SFP	
4703	S3M005	12	9/27/2004	46,241	4.3	ABB Combustion Engineering	16x16	439336							SFP	
4703	S3M008	12	9/27/2004	46,235	4.29	ABB Combustion Engineering	16x16	440639							SFP	
4703	S3N412	12	9/27/2004	46,184	4.48	ABB Combustion Engineering	16x16	437789							SFP	
4703	S3M007	12	9/27/2004	46,179	4.3	ABB Combustion Engineering	16x16	440312							SFP	
4703	S3N409	12	9/27/2004	46,152	4.48	ABB Combustion Engineering	16x16	437436							SFP	
4703	S3M014	12	9/27/2004	46,118	4.3	ABB Combustion Engineering	16x16	439669							SFP	
4703	S3M010	12	9/27/2004	46,003	4.3	ABB Combustion Engineering	16x16	440691							SFP	
4703	S3N405	12	9/27/2004	45,914	4.48	ABB Combustion Engineering	16x16	437300							SFP	
4703	S3N410	12	9/27/2004	45,891	4.48	ABB Combustion Engineering	16x16	437211							SFP	
4703	S3M011	12	9/27/2004	45,866	4.3	ABB Combustion Engineering	16x16	440809							SFP	
4703	S3M009	12	9/27/2004	45,743	4.29	ABB Combustion Engineering	16x16	440425							SFP	
4703	S3N016	12	9/27/2004	43,973	4.55	ABB Combustion Engineering	16x16	440171							SFP	
4703	S3N012	12	9/27/2004	43,454	4.54	ABB Combustion Engineering	16x16	440263							SFP	
4703	S3N001	12	9/27/2004	43,342	4.54	ABB Combustion Engineering	16x16	440103							SFP	
4703	S3N011	12	9/27/2004	43,327	4.55	ABB Combustion Engineering	16x16	439820							SFP	
4703	S3N010	12	9/27/2004	43,324	4.54	ABB Combustion Engineering	16x16	439865							SFP	
4703	S3N004	12	9/27/2004	43,175	4.54	ABB Combustion Engineering	16x16	439986							SFP	
4703	S3N009	12	9/27/2004	43,108	4.54	ABB Combustion Engineering	16x16	439932							SFP	
4703	S3N106	12	9/27/2004	42,908	4.5	ABB Combustion Engineering	16x16	438751							SFP	
4703	S3N002	12	9/27/2004	42,829	4.54	ABB Combustion Engineering	16x16	439841							SFP	
4703	S3N101	12	9/27/2004	42,409	4.49	ABB Combustion Engineering	16x16	438371							SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3M506	12	9/27/2004	42,373	4.23	ABB Combustion Engineering	16x16	436790								SFP	
4703	S3M503	12	9/27/2004	42,269	4.23	ABB Combustion Engineering	16x16	436560								SFP	
4703	S3N104	12	9/27/2004	42,258	4.5	ABB Combustion Engineering	16x16	438904								SFP	
4703	S3N108	12	9/27/2004	42,205	4.49	ABB Combustion Engineering	16x16	438131								SFP	
4703	S3M515	12	9/27/2004	42,151	4.23	ABB Combustion Engineering	16x16	436176								SFP	
4703	S3M547	12	9/27/2004	42,093	4.23	ABB Combustion Engineering	16x16	437005								SFP	
4703	S3M514	12	9/27/2004	42,040	4.23	ABB Combustion Engineering	16x16	435877								SFP	
4703	S3N501	12	9/27/2004	41,285	4.49	ABB Combustion Engineering	16x16	436971								SFP	
4703	S3N105	12	9/27/2004	40,471	4.49	ABB Combustion Engineering	16x16	438054								SFP	
4703	S3N102	12	9/27/2004	40,071	4.5	ABB Combustion Engineering	16x16	438414								SFP	
4703	S3N103	12	9/27/2004	39,798	4.5	ABB Combustion Engineering	16x16	438565								SFP	
4703	S3N543	12	9/27/2004	38,003	4.48	ABB Combustion Engineering	16x16	435306								SFP	
4703	S3N551	12	9/27/2004	37,911	4.48	ABB Combustion Engineering	16x16	435196								SFP	C12: 0
4703	S3K238	11	1/6/2003	49,732	3.96	ABB Combustion Engineering	16x16	402283								SFP	
4703	S3M523	11	1/6/2003	49,082	4.23	ABB Combustion Engineering	16x16	437652								SFP	
4703	S3M568	11	1/6/2003	49,026	4.23	ABB Combustion Engineering	16x16	437753								SFP	
4703	S3M508	11	1/6/2003	48,992	4.24	ABB Combustion Engineering	16x16	437244								SFP	
4703	S3M512	11	1/6/2003	48,941	4.24	ABB Combustion Engineering	16x16	437321								SFP	
4703	S3M511	11	1/6/2003	48,897	4.24	ABB Combustion Engineering	16x16	437020								SFP	
4703	S3M510	11	1/6/2003	48,801	4.24	ABB Combustion Engineering	16x16	437165								SFP	
4703	S3M509	11	1/6/2003	48,792	4.24	ABB Combustion Engineering	16x16	437343								SFP	
4703	S3M517	11	1/6/2003	48,767	4.23	ABB Combustion Engineering	16x16	437612								SFP	
4703	S3M525	11	1/6/2003	48,687	4.22	ABB Combustion Engineering	16x16	436534								SFP	
4703	S3M529	11	1/6/2003	48,663	4.22	ABB Combustion Engineering	16x16	436904								SFP	
4703	S3M524	11	1/6/2003	48,494	4.22	ABB Combustion Engineering	16x16	436712								SFP	
4703	S3M541	11	1/6/2003	48,452	4.22	ABB Combustion Engineering	16x16	436868								SFP	
4703	S3M550	11	1/6/2003	48,370	4.23	ABB Combustion Engineering	16x16	436269								SFP	
4703	S3M536	11	1/6/2003	48,309	4.22	ABB Combustion Engineering	16x16	436765								SFP	
4703	S3M540	11	1/6/2003	48,293	4.22	ABB Combustion Engineering	16x16	436805								SFP	
4703	S3M552	11	1/6/2003	48,290	4.23	ABB Combustion Engineering	16x16	436287								SFP	
4703	S3M504	11	1/6/2003	47,913	4.23	ABB Combustion Engineering	16x16	436496								SFP	
4703	S3M401	11	1/6/2003	47,812	4.23	ABB Combustion Engineering	16x16	436990								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle:
					Enrich (round down)												Total Failed
4703	S3M406	11	1/6/2003	47,808	4.23	ABB Combustion Engineering	16x16	437118								SFP	
4703	S3M563	11	1/6/2003	47,758	4.21	ABB Combustion Engineering	16x16	436435								SFP	
4703	S3M519	11	1/6/2003	47,702	4.23	ABB Combustion Engineering	16x16	436644								SFP	
4703	S3M502	11	1/6/2003	47,668	4.23	ABB Combustion Engineering	16x16	436697								SFP	
4703	S3M551	11	1/6/2003	47,646	4.23	ABB Combustion Engineering	16x16	437304								SFP	
4703	S3M546	11	1/6/2003	47,645	4.23	ABB Combustion Engineering	16x16	436693								SFP	
4703	S3M501	11	1/6/2003	47,643	4.23	ABB Combustion Engineering	16x16	436797								SFP	
4703	S3M408	11	1/6/2003	47,587	4.23	ABB Combustion Engineering	16x16	437288								SFP	
4703	S3M404	11	1/6/2003	47,583	4.23	ABB Combustion Engineering	16x16	437437								SFP	
4703	S3M507	11	1/6/2003	47,557	4.23	ABB Combustion Engineering	16x16	436718								SFP	
4703	S3M531	11	1/6/2003	47,517	4.22	ABB Combustion Engineering	16x16	436620								SFP	
4703	S3M561	11	1/6/2003	47,502	4.22	ABB Combustion Engineering	16x16	436102								SFP	
4703	S3M402	11	1/6/2003	47,483	4.23	ABB Combustion Engineering	16x16	436977								SFP	
4703	S3M553	11	1/6/2003	47,483	4.23	ABB Combustion Engineering	16x16	435721								SFP	
4703	S3M405	11	1/6/2003	47,435	4.23	ABB Combustion Engineering	16x16	437178								SFP	
4703	S3L418	11	1/6/2003	47,405	4.54	ABB Combustion Engineering	16x16	438278								SFP	
4703	S3M521	11	1/6/2003	47,382	4.23	ABB Combustion Engineering	16x16	436592								SFP	
4703	S3M558	11	1/6/2003	47,363	4.22	ABB Combustion Engineering	16x16	436108								SFP	
4703	S3L403	11	1/6/2003	47,356	4.55	ABB Combustion Engineering	16x16	437296								SFP	
4703	S3L421	11	1/6/2003	47,336	4.55	ABB Combustion Engineering	16x16	437187								SFP	
4703	S3M527	11	1/6/2003	47,300	4.22	ABB Combustion Engineering	16x16	435906								SFP	
4703	S3L439	11	1/6/2003	47,293	4.55	ABB Combustion Engineering	16x16	438646								SFP	
4703	S3M539	11	1/6/2003	47,255	4.22	ABB Combustion Engineering	16x16	435838								SFP	
4703	S3M403	11	1/6/2003	47,253	4.23	ABB Combustion Engineering	16x16	436929								SFP	
4703	S3L437	11	1/6/2003	47,169	4.53	ABB Combustion Engineering	16x16	437371								SFP	
4703	S3M407	11	1/6/2003	47,144	4.23	ABB Combustion Engineering	16x16	437167								SFP	
4703	S3M557	11	1/6/2003	47,143	4.22	ABB Combustion Engineering	16x16	436158								SFP	
4703	S3L427	11	1/6/2003	46,965	4.53	ABB Combustion Engineering	16x16	438454								SFP	
4703	S3L440	11	1/6/2003	46,619	4.55	ABB Combustion Engineering	16x16	438520								SFP	
4703	S3L401	11	1/6/2003	46,529	4.55	ABB Combustion Engineering	16x16	436654								SFP	
4703	S3M566	11	1/6/2003	46,364	4.22	ABB Combustion Engineering	16x16	436948								SFP	
4703	S3M538	11	1/6/2003	46,328	4.22	ABB Combustion Engineering	16x16	436163								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3M528	11	1/6/2003	46,297	4.22	ABB Combustion Engineering	16x16	436784								SFP	
4703	S3M526	11	1/6/2003	46,115	4.23	ABB Combustion Engineering	16x16	436142								SFP	
4703	S3M544	11	1/6/2003	46,047	4.22	ABB Combustion Engineering	16x16	436568								SFP	
4703	S3M556	11	1/6/2003	46,019	4.22	ABB Combustion Engineering	16x16	436178								SFP	
4703	S3M532	11	1/6/2003	45,870	4.22	ABB Combustion Engineering	16x16	436242								SFP	
4703	S3M505	11	1/6/2003	45,859	4.24	ABB Combustion Engineering	16x16	436511								SFP	
4703	S3M522	11	1/6/2003	45,831	4.23	ABB Combustion Engineering	16x16	437131								SFP	
4703	S3M516	11	1/6/2003	45,752	4.23	ABB Combustion Engineering	16x16	437449								SFP	
4703	S3M545	11	1/6/2003	45,750	4.24	ABB Combustion Engineering	16x16	436577								SFP	
4703	S3M565	11	1/6/2003	45,743	4.23	ABB Combustion Engineering	16x16	437391								SFP	
4703	S3M567	11	1/6/2003	45,679	4.23	ABB Combustion Engineering	16x16	437542								SFP	
4703	S3M562	11	1/6/2003	45,624	4.22	ABB Combustion Engineering	16x16	436523								SFP	
4703	S3M520	11	1/6/2003	45,596	4.23	ABB Combustion Engineering	16x16	437439								SFP	
4703	S3L430	11	1/6/2003	45,579	4.53	ABB Combustion Engineering	16x16	437587								SFP	
4703	S3L409	11	1/6/2003	45,499	4.54	ABB Combustion Engineering	16x16	436703								SFP	
4703	S3L438	11	1/6/2003	45,441	4.54	ABB Combustion Engineering	16x16	437086								SFP	
4703	S3L414	11	1/6/2003	45,432	4.54	ABB Combustion Engineering	16x16	436436								SFP	
4703	S3L434	11	1/6/2003	45,397	4.52	ABB Combustion Engineering	16x16	438292								SFP	
4703	S3L415	11	1/6/2003	45,288	4.54	ABB Combustion Engineering	16x16	436385								SFP	
4703	S3M513	11	1/6/2003	45,229	4.23	ABB Combustion Engineering	16x16	437159								SFP	
4703	S3L408	11	1/6/2003	45,174	4.54	ABB Combustion Engineering	16x16	436743								SFP	
4703	S3L435	11	1/6/2003	45,000	4.53	ABB Combustion Engineering	16x16	438077								SFP	
4703	S3M103	11	1/6/2003	42,201	4.24	ABB Combustion Engineering	16x16	439133								SFP	
4703	S3M106	11	1/6/2003	41,927	4.25	ABB Combustion Engineering	16x16	438077								SFP	
4703	S3M107	11	1/6/2003	41,873	4.25	ABB Combustion Engineering	16x16	438838								SFP	
4703	S3M101	11	1/6/2003	41,522	4.24	ABB Combustion Engineering	16x16	439579								SFP	
4703	S3M105	11	1/6/2003	41,509	4.24	ABB Combustion Engineering	16x16	439017								SFP	
4703	S3M102	11	1/6/2003	41,235	4.24	ABB Combustion Engineering	16x16	439277								SFP	
4703	S3M564	11	1/6/2003	41,163	4.22	ABB Combustion Engineering	16x16	436311								SFP	
4703	S3M542	11	1/6/2003	37,478	4.22	ABB Combustion Engineering	16x16	435339								SFP	
4703	S3M559	11	1/6/2003	37,400	4.22	ABB Combustion Engineering	16x16	435462								SFP	C11: 0
4703	S3L307	10	1/2/2001	51,503	4.55	ABB Combustion Engineering	16x16	438021								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle:
					Enrich (round down)												Total Failed
4703	S3L308	10	1/2/2001	51,382	4.56	ABB Combustion Engineering	16x16	438651								SFP	
4703	S3L315	10	1/2/2001	51,348	4.55	ABB Combustion Engineering	16x16	438054								SFP	
4703	S3L305	10	1/2/2001	51,041	4.55	ABB Combustion Engineering	16x16	438169								SFP	
4703	S3L301	10	1/2/2001	51,033	4.56	ABB Combustion Engineering	16x16	438903								SFP	
4703	S3L313	10	1/2/2001	50,999	4.56	ABB Combustion Engineering	16x16	438719								SFP	
4703	S3K252	10	1/2/2001	50,990	3.97	ABB Combustion Engineering	16x16	402402								SFP	
4703	S3L411	10	1/2/2001	50,956	4.53	ABB Combustion Engineering	16x16	436974								SFP	
4703	S3L314	10	1/2/2001	50,886	4.55	ABB Combustion Engineering	16x16	438400								SFP	
4703	S3L432	10	1/2/2001	50,837	4.54	ABB Combustion Engineering	16x16	437631								SFP	
4703	S3L431	10	1/2/2001	50,761	4.54	ABB Combustion Engineering	16x16	437366								SFP	
4703	S3L426	10	1/2/2001	50,710	4.54	ABB Combustion Engineering	16x16	438014								SFP	
4703	S3L433	10	1/2/2001	50,703	4.54	ABB Combustion Engineering	16x16	437265								SFP	
4703	S3L405	10	1/2/2001	50,665	4.53	ABB Combustion Engineering	16x16	436945								SFP	
4703	S3L413	10	1/2/2001	50,604	4.53	ABB Combustion Engineering	16x16	437759								SFP	
4703	S3L312	10	1/2/2001	50,569	4.55	ABB Combustion Engineering	16x16	438719								SFP	
4703	S3L407	10	1/2/2001	50,378	4.54	ABB Combustion Engineering	16x16	436587								SFP	
4703	S3L417	10	1/2/2001	50,225	4.55	ABB Combustion Engineering	16x16	437557								SFP	
4703	S3L404	10	1/2/2001	50,147	4.54	ABB Combustion Engineering	16x16	437434								SFP	
4703	S3L412	10	1/2/2001	50,120	4.53	ABB Combustion Engineering	16x16	438221								SFP	
4703	S3L406	10	1/2/2001	50,027	4.53	ABB Combustion Engineering	16x16	436364								SFP	
4703	S3L428	10	1/2/2001	50,005	4.53	ABB Combustion Engineering	16x16	437886								SFP	
4703	S3L402	10	1/2/2001	49,988	4.55	ABB Combustion Engineering	16x16	436861								SFP	
4703	S3L422	10	1/2/2001	49,763	4.54	ABB Combustion Engineering	16x16	438828								SFP	
4703	S3L424	10	1/2/2001	49,707	4.55	ABB Combustion Engineering	16x16	437797								SFP	
4703	S3L203	10	1/2/2001	49,697	4.55	ABB Combustion Engineering	16x16	437482								SFP	
4703	S3L425	10	1/2/2001	49,683	4.55	ABB Combustion Engineering	16x16	437358								SFP	
4703	S3L441	10	1/2/2001	49,675	4.54	ABB Combustion Engineering	16x16	438200								SFP	
4703	S3L442	10	1/2/2001	49,656	4.53	ABB Combustion Engineering	16x16	436714								SFP	
4703	S3L208	10	1/2/2001	49,625	4.56	ABB Combustion Engineering	16x16	439651								SFP	
4703	S3L201	10	1/2/2001	49,616	4.55	ABB Combustion Engineering	16x16	438448								SFP	
4703	S3L419	10	1/2/2001	49,605	4.54	ABB Combustion Engineering	16x16	438430								SFP	
4703	S3L420	10	1/2/2001	49,605	4.55	ABB Combustion Engineering	16x16	437449								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3L207	10	1/2/2001	49,510	4.55	ABB Combustion Engineering	16x16	438276								SFP	
4703	S3L202	10	1/2/2001	49,476	4.54	ABB Combustion Engineering	16x16	439942								SFP	
4703	S3L416	10	1/2/2001	49,469	4.55	ABB Combustion Engineering	16x16	437065								SFP	
4703	S3L429	10	1/2/2001	49,465	4.53	ABB Combustion Engineering	16x16	438097								SFP	
4703	S3L205	10	1/2/2001	49,461	4.55	ABB Combustion Engineering	16x16	438924								SFP	
4703	S3L423	10	1/2/2001	49,393	4.54	ABB Combustion Engineering	16x16	438652								SFP	
4703	S3L204	10	1/2/2001	48,875	4.55	ABB Combustion Engineering	16x16	437705								SFP	
4703	S3L304	10	1/2/2001	48,593	4.54	ABB Combustion Engineering	16x16	439131								SFP	
4703	S3L206	10	1/2/2001	48,476	4.55	ABB Combustion Engineering	16x16	438335								SFP	
4703	S3L306	10	1/2/2001	48,438	4.55	ABB Combustion Engineering	16x16	438453								SFP	
4703	S3L316	10	1/2/2001	48,273	4.56	ABB Combustion Engineering	16x16	437305								SFP	
4703	S3L302	10	1/2/2001	48,148	4.56	ABB Combustion Engineering	16x16	437546								SFP	
4703	S3L116	10	1/2/2001	48,077	4.55	ABB Combustion Engineering	16x16	440041								SFP	
4703	S3L115	10	1/2/2001	47,763	4.55	ABB Combustion Engineering	16x16	437595								SFP	
4703	S3L105	10	1/2/2001	47,728	4.55	ABB Combustion Engineering	16x16	438341								SFP	
4703	S3L443	10	1/2/2001	47,667	4.52	ABB Combustion Engineering	16x16	436269								SFP	
4703	S3L436	10	1/2/2001	47,452	4.53	ABB Combustion Engineering	16x16	436397								SFP	
4703	S3L410	10	1/2/2001	47,129	4.54	ABB Combustion Engineering	16x16	436193								SFP	
4703	S3L444	10	1/2/2001	46,817	4.53	ABB Combustion Engineering	16x16	436618								SFP	
4703	S3K209	10	1/2/2001	43,600	3.96	ABB Combustion Engineering	16x16	401484								SFP	
4703	S3K217	10	1/2/2001	43,354	3.96	ABB Combustion Engineering	16x16	402803								SFP	
4703	S3K201	10	1/2/2001	43,332	3.96	ABB Combustion Engineering	16x16	401291								SFP	
4703	S3K202	10	1/2/2001	43,292	3.96	ABB Combustion Engineering	16x16	401975								SFP	
4703	S3K222	10	1/2/2001	43,284	3.96	ABB Combustion Engineering	16x16	401321								SFP	
4703	S3K239	10	1/2/2001	43,269	3.96	ABB Combustion Engineering	16x16	401531								SFP	C10: 0
4703	S3H255	9	3/26/1999	52,228	3.95	ABB Combustion Engineering	16x16	399772								SFP	
4703	S3K315	9	3/26/1999	49,220	4.04	ABB Combustion Engineering	16x16	402236								SFP	
4703	S3K304	9	3/26/1999	49,138	4.04	ABB Combustion Engineering	16x16	401935								SFP	
4703	S3K305	9	3/26/1999	49,067	4.04	ABB Combustion Engineering	16x16	402231								SFP	
4703	S3K220	9	3/26/1999	49,025	3.96	ABB Combustion Engineering	16x16	402183								SFP	
4703	S3K225	9	3/26/1999	48,987	3.96	ABB Combustion Engineering	16x16	401327								SFP	
4703	S3K302	9	3/26/1999	48,882	4.03	ABB Combustion Engineering	16x16	401308								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3H001	9	3/26/1999	48,877	3.95	ABB Combustion Engineering	16x16	428427								SFP	
4703	S3K311	9	3/26/1999	48,830	4.02	ABB Combustion Engineering	16x16	401130								SFP	
4703	S3K233	9	3/26/1999	48,824	3.97	ABB Combustion Engineering	16x16	401842								SFP	
4703	S3K316	9	3/26/1999	48,823	4.04	ABB Combustion Engineering	16x16	401795								SFP	
4703	S3K250	9	3/26/1999	48,770	3.96	ABB Combustion Engineering	16x16	402459								SFP	
4703	S3K307	9	3/26/1999	48,747	4.02	ABB Combustion Engineering	16x16	401358								SFP	
4703	S3K313	9	3/26/1999	48,737	4.03	ABB Combustion Engineering	16x16	401065								SFP	
4703	S3K301	9	3/26/1999	48,733	4.03	ABB Combustion Engineering	16x16	400943								SFP	
4703	S3K241	9	3/26/1999	48,724	3.96	ABB Combustion Engineering	16x16	401618								SFP	
4703	S3H013	9	3/26/1999	48,684	3.97	ABB Combustion Engineering	16x16	427982								SFP	
4703	S3K219	9	3/26/1999	48,678	3.96	ABB Combustion Engineering	16x16	402411								SFP	
4703	S3K312	9	3/26/1999	48,613	4.03	ABB Combustion Engineering	16x16	401698								SFP	
4703	S3H012	9	3/26/1999	48,612	3.96	ABB Combustion Engineering	16x16	427155								SFP	
4703	S3H016	9	3/26/1999	48,551	3.96	ABB Combustion Engineering	16x16	427044								SFP	
4703	S3K246	9	3/26/1999	48,510	3.96	ABB Combustion Engineering	16x16	402779								SFP	
4703	S3K207	9	3/26/1999	48,461	3.96	ABB Combustion Engineering	16x16	402430								SFP	
4703	S3K303	9	3/26/1999	48,431	4.03	ABB Combustion Engineering	16x16	401613								SFP	
4703	S3H015	9	3/26/1999	48,310	3.96	ABB Combustion Engineering	16x16	426796								SFP	
4703	S3H014	9	3/26/1999	48,209	3.96	ABB Combustion Engineering	16x16	428058								SFP	
4703	S3H003	9	3/26/1999	48,042	3.95	ABB Combustion Engineering	16x16	428460								SFP	
4703	S3H002	9	3/26/1999	47,909	3.95	ABB Combustion Engineering	16x16	428621								SFP	
4703	S3K309	9	3/26/1999	47,826	4.03	ABB Combustion Engineering	16x16	399817								SFP	
4703	S3K205	9	3/26/1999	47,472	3.94	ABB Combustion Engineering	16x16	401790								SFP	
4703	S3K212	9	3/26/1999	47,423	3.96	ABB Combustion Engineering	16x16	399530								SFP	
4703	S3K256	9	3/26/1999	47,334	3.95	ABB Combustion Engineering	16x16	399718								SFP	
4703	S3K227	9	3/26/1999	47,286	3.95	ABB Combustion Engineering	16x16	400959								SFP	
4703	S3K228	9	3/26/1999	47,286	3.96	ABB Combustion Engineering	16x16	401083								SFP	
4703	S3K204	9	3/26/1999	47,259	3.94	ABB Combustion Engineering	16x16	402093								SFP	
4703	S3K226	9	3/26/1999	47,201	3.95	ABB Combustion Engineering	16x16	401318								SFP	
4703	S3K229	9	3/26/1999	47,089	3.95	ABB Combustion Engineering	16x16	400582								SFP	
4703	S3K254	9	3/26/1999	47,087	3.95	ABB Combustion Engineering	16x16	401698								SFP	
4703	S3K211	9	3/26/1999	47,014	3.96	ABB Combustion Engineering	16x16	399585								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3K218	9	3/26/1999	46,787	3.96	ABB Combustion Engineering	16x16	401313								SFP	
4703	S3K255	9	3/26/1999	46,700	3.95	ABB Combustion Engineering	16x16	402228								SFP	
4703	S3K240	9	3/26/1999	46,671	3.96	ABB Combustion Engineering	16x16	400957								SFP	
4703	S3K235	9	3/26/1999	46,642	3.96	ABB Combustion Engineering	16x16	401366								SFP	
4703	S3K213	9	3/26/1999	46,599	3.96	ABB Combustion Engineering	16x16	401228								SFP	
4703	S3K232	9	3/26/1999	46,539	3.96	ABB Combustion Engineering	16x16	401271								SFP	
4703	S3K208	9	3/26/1999	46,494	3.95	ABB Combustion Engineering	16x16	400225								SFP	
4703	S3K224	9	3/26/1999	46,486	3.95	ABB Combustion Engineering	16x16	400821								SFP	
4703	S3K244	9	3/26/1999	46,394	3.95	ABB Combustion Engineering	16x16	402249								SFP	
4703	S3K234	9	3/26/1999	46,273	3.96	ABB Combustion Engineering	16x16	401251								SFP	
4703	S3K223	9	3/26/1999	45,686	3.95	ABB Combustion Engineering	16x16	400783								SFP	
4703	S3K221	9	3/26/1999	45,347	3.96	ABB Combustion Engineering	16x16	400238								SFP	
4703	S3K231	9	3/26/1999	45,295	3.96	ABB Combustion Engineering	16x16	401220								SFP	
4703	S3K230	9	3/26/1999	45,288	3.96	ABB Combustion Engineering	16x16	401023								SFP	
4703	S3K112	9	3/26/1999	44,106	3.96	ABB Combustion Engineering	16x16	416617								SFP	
4703	S3K106	9	3/26/1999	43,936	3.97	ABB Combustion Engineering	16x16	417111								SFP	
4703	S3K107	9	3/26/1999	43,929	3.97	ABB Combustion Engineering	16x16	417075								SFP	
4703	S3K109	9	3/26/1999	43,877	3.96	ABB Combustion Engineering	16x16	416480								SFP	
4703	S3K110	9	3/26/1999	43,863	3.96	ABB Combustion Engineering	16x16	416402								SFP	
4703	S3K111	9	3/26/1999	43,828	3.96	ABB Combustion Engineering	16x16	416114								SFP	
4703	S3K105	9	3/26/1999	43,825	3.97	ABB Combustion Engineering	16x16	416585								SFP	
4703	S3K108	9	3/26/1999	43,729	3.97	ABB Combustion Engineering	16x16	416861								SFP	
4703	S3K314	9	3/26/1999	43,380	4.02	ABB Combustion Engineering	16x16	401067								SFP	
4703	S3K308	9	3/26/1999	43,112	4.02	ABB Combustion Engineering	16x16	401489								SFP	
4703	S3K306	9	3/26/1999	43,105	4.03	ABB Combustion Engineering	16x16	401228								SFP	
4703	S3K310	9	3/26/1999	43,084	4.03	ABB Combustion Engineering	16x16	401197								SFP	C9: 0
4703	S3J308	8	4/12/1997	47,951	4.02	ABB Combustion Engineering	16x16	400899								SFP	
4703	S3J301	8	4/12/1997	47,815	4.03	ABB Combustion Engineering	16x16	401739								SFP	
4703	S3J305	8	4/12/1997	47,597	4.02	ABB Combustion Engineering	16x16	401803								SFP	
4703	S3J313	8	4/12/1997	47,559	4.03	ABB Combustion Engineering	16x16	401084								SFP	
4703	S3J306	8	4/12/1997	47,555	4.02	ABB Combustion Engineering	16x16	401553								SFP	
4703	S3J314	8	4/12/1997	47,542	4.02	ABB Combustion Engineering	16x16	400966								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3J311	8	4/12/1997	47,535	4.03	ABB Combustion Engineering	16x16	401212								SFP	
4703	S3J312	8	4/12/1997	47,421	4.03	ABB Combustion Engineering	16x16	401204								SFP	
4703	S3J255	8	4/12/1997	47,218	3.95	ABB Combustion Engineering	16x16	401526								SFP	
4703	S3J254	8	4/12/1997	47,174	3.95	ABB Combustion Engineering	16x16	401651								SFP	
4703	S3J201	8	4/12/1997	47,023	3.96	ABB Combustion Engineering	16x16	400896								SFP	
4703	S3J203	8	4/12/1997	47,022	3.96	ABB Combustion Engineering	16x16	400924								SFP	
4703	S3J217	8	4/12/1997	46,976	3.95	ABB Combustion Engineering	16x16	401774								SFP	
4703	S3J404	8	4/12/1997	46,935	3.95	ABB Combustion Engineering	16x16	401071								SFP	
4703	S3J234	8	4/12/1997	46,924	3.95	ABB Combustion Engineering	16x16	401372								SFP	
4703	S3J236	8	4/12/1997	46,920	3.95	ABB Combustion Engineering	16x16	402020								SFP	
4703	S3J401	8	4/12/1997	46,852	3.95	ABB Combustion Engineering	16x16	400163								SFP	
4703	S3J204	8	4/12/1997	46,705	3.95	ABB Combustion Engineering	16x16	401380								SFP	
4703	S3J402	8	4/12/1997	46,696	3.95	ABB Combustion Engineering	16x16	401366								SFP	
4703	S3J403	8	4/12/1997	46,665	3.96	ABB Combustion Engineering	16x16	401230								SFP	
4703	S3J310	8	4/12/1997	46,552	4.02	ABB Combustion Engineering	16x16	400951								SFP	
4703	S3J303	8	4/12/1997	46,501	4.02	ABB Combustion Engineering	16x16	400466								SFP	
4703	S3J315	8	4/12/1997	46,359	4.03	ABB Combustion Engineering	16x16	400251								SFP	
4703	S3J406	8	4/12/1997	46,344	3.95	ABB Combustion Engineering	16x16	402256								SFP	
4703	S3J405	8	4/12/1997	46,329	3.95	ABB Combustion Engineering	16x16	401711								SFP	
4703	S3J408	8	4/12/1997	46,264	3.96	ABB Combustion Engineering	16x16	401266								SFP	
4703	S3J407	8	4/12/1997	46,254	3.95	ABB Combustion Engineering	16x16	401742								SFP	
4703	S3J302	8	4/12/1997	45,897	4.02	ABB Combustion Engineering	16x16	400400								SFP	
4703	S3H205	8	4/12/1997	45,869	3.96	ABB Combustion Engineering	16x16	399452								SFP	
4703	S3J307	8	4/12/1997	45,845	4.02	ABB Combustion Engineering	16x16	401339								SFP	
4703	S3J316	8	4/12/1997	45,735	4.03	ABB Combustion Engineering	16x16	400540								SFP	
4703	S3J304	8	4/12/1997	45,700	4.02	ABB Combustion Engineering	16x16	401424								SFP	
4703	S3J309	8	4/12/1997	45,677	4.02	ABB Combustion Engineering	16x16	400687								SFP	
4703	S3J238	8	4/12/1997	44,592	3.95	ABB Combustion Engineering	16x16	401638								SFP	
4703	S3J202	8	4/12/1997	44,567	3.96	ABB Combustion Engineering	16x16	401262								SFP	
4703	S3J221	8	4/12/1997	44,491	3.95	ABB Combustion Engineering	16x16	401734								SFP	
4703	S3J251	8	4/12/1997	44,485	3.95	ABB Combustion Engineering	16x16	401627								SFP	
4703	S3J215	8	4/12/1997	44,456	3.95	ABB Combustion Engineering	16x16	402337								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3J219	8	4/12/1997	44,449	3.96	ABB Combustion Engineering	16x16	400893								SFP	
4703	S3J228	8	4/12/1997	44,303	3.95	ABB Combustion Engineering	16x16	401867								SFP	
4703	S3J216	8	4/12/1997	44,256	3.95	ABB Combustion Engineering	16x16	401999								SFP	
4703	S3J233	8	4/12/1997	43,859	3.95	ABB Combustion Engineering	16x16	400537								SFP	
4703	S3J223	8	4/12/1997	43,722	3.95	ABB Combustion Engineering	16x16	399857								SFP	
4703	S3J212	8	4/12/1997	43,673	3.94	ABB Combustion Engineering	16x16	401007								SFP	
4703	S3J230	8	4/12/1997	43,627	3.95	ABB Combustion Engineering	16x16	400626								SFP	
4703	S3J010	8	4/12/1997	42,689	3.95	ABB Combustion Engineering	16x16	429797								SFP	
4703	S3J014	8	4/12/1997	42,663	3.96	ABB Combustion Engineering	16x16	428881								SFP	
4703	S3J012	8	4/12/1997	42,567	3.96	ABB Combustion Engineering	16x16	429025								SFP	
4703	S3J015	8	4/12/1997	42,519	3.96	ABB Combustion Engineering	16x16	429031								SFP	
4703	S3J009	8	4/12/1997	42,506	3.95	ABB Combustion Engineering	16x16	429623								SFP	
4703	S3J006	8	4/12/1997	42,323	3.95	ABB Combustion Engineering	16x16	429533								SFP	
4703	S3J013	8	4/12/1997	42,206	3.95	ABB Combustion Engineering	16x16	429118								SFP	
4703	S3J011	8	4/12/1997	42,116	3.95	ABB Combustion Engineering	16x16	429437								SFP	
4703	S3J227	8	4/12/1997	41,863	3.95	ABB Combustion Engineering	16x16	401916								SFP	
4703	S3J239	8	4/12/1997	41,809	3.96	ABB Combustion Engineering	16x16	400829								SFP	
4703	S3J248	8	4/12/1997	41,698	3.96	ABB Combustion Engineering	16x16	402021								SFP	
4703	S3J253	8	4/12/1997	41,421	3.96	ABB Combustion Engineering	16x16	401478								SFP	
4703	S3J106	8	4/12/1997	40,795	3.94	ABB Combustion Engineering	16x16	414314								SFP	
4703	S3J256	8	4/12/1997	38,006	3.94	ABB Combustion Engineering	16x16	399783								SFP	
4703	S3J225	8	4/12/1997	37,735	3.95	ABB Combustion Engineering	16x16	400193								SFP	
4703	S3J249	8	4/12/1997	37,483	3.97	ABB Combustion Engineering	16x16	401746								SFP	
4703	S3J247	8	4/12/1997	37,385	3.95	ABB Combustion Engineering	16x16	402196								SFP	
4703	S3J005	8	4/12/1997	36,406	3.96	ABB Combustion Engineering	16x16	430090								SFP	C8: 0
4703	S3H306	7	7/22/1995	47,359	4.03	ABB Combustion Engineering	16x16	398992								SFP	
4703	S3H237	7	7/22/1995	47,347	3.95	ABB Combustion Engineering	16x16	399376								SFP	
4703	S3H302	7	7/22/1995	47,282	4.03	ABB Combustion Engineering	16x16	398670								SFP	
4703	S3H307	7	7/22/1995	47,203	4.03	ABB Combustion Engineering	16x16	398910								SFP	
4703	S3H223	7	7/22/1995	47,166	3.96	ABB Combustion Engineering	16x16	398933								SFP	
4703	S3H301	7	7/22/1995	47,108	4.03	ABB Combustion Engineering	16x16	398863								SFP	
4703	S3H309	7	7/22/1995	47,086	4.03	ABB Combustion Engineering	16x16	399161								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3H308	7	7/22/1995	47,050	4.03	ABB Combustion Engineering	16x16	398966								SFP	
4703	S3H209	7	7/22/1995	47,025	3.96	ABB Combustion Engineering	16x16	398977								SFP	
4703	S3H222	7	7/22/1995	47,016	3.96	ABB Combustion Engineering	16x16	399183								SFP	
4703	S3H310	7	7/22/1995	46,977	4.03	ABB Combustion Engineering	16x16	399120								SFP	
4703	S3H218	7	7/22/1995	46,960	3.96	ABB Combustion Engineering	16x16	399008								SFP	
4703	S3H221	7	7/22/1995	46,880	3.96	ABB Combustion Engineering	16x16	398988								SFP	
4703	S3G224	7	7/22/1995	46,839	3.94	ABB Combustion Engineering	16x16	397967								SFP	
4703	S3H210	7	7/22/1995	46,737	3.96	ABB Combustion Engineering	16x16	398986								SFP	
4703	S3H256	7	7/22/1995	46,132	3.95	ABB Combustion Engineering	16x16	399335								SFP	
4703	S3H232	7	7/22/1995	46,068	3.95	ABB Combustion Engineering	16x16	399026								SFP	
4703	S3H239	7	7/22/1995	45,842	3.95	ABB Combustion Engineering	16x16	399271								SFP	
4703	S3H230	7	7/22/1995	45,741	3.95	ABB Combustion Engineering	16x16	399245								SFP	
4703	S3H305	7	7/22/1995	45,707	4.03	ABB Combustion Engineering	16x16	398879								SFP	
4703	S3H315	7	7/22/1995	45,421	4.03	ABB Combustion Engineering	16x16	398422								SFP	
4703	S3H316	7	7/22/1995	45,281	4.03	ABB Combustion Engineering	16x16	398340								SFP	
4703	S3H313	7	7/22/1995	45,177	4.02	ABB Combustion Engineering	16x16	398526								SFP	
4703	S3H249	7	7/22/1995	44,334	3.95	ABB Combustion Engineering	16x16	400256								SFP	
4703	S3H248	7	7/22/1995	44,180	3.95	ABB Combustion Engineering	16x16	400069								SFP	
4703	S3H211	7	7/22/1995	44,153	3.96	ABB Combustion Engineering	16x16	399414								SFP	
4703	S3H253	7	7/22/1995	44,025	3.95	ABB Combustion Engineering	16x16	400066								SFP	
4703	S3H250	7	7/22/1995	44,023	3.95	ABB Combustion Engineering	16x16	400188								SFP	
4703	S3H251	7	7/22/1995	43,970	3.95	ABB Combustion Engineering	16x16	400204								SFP	
4703	S3H216	7	7/22/1995	43,910	3.96	ABB Combustion Engineering	16x16	399223								SFP	
4703	S3H254	7	7/22/1995	43,897	3.95	ABB Combustion Engineering	16x16	400004								SFP	
4703	S3H204	7	7/22/1995	43,793	3.96	ABB Combustion Engineering	16x16	399925								SFP	
4703	S3H252	7	7/22/1995	43,771	3.95	ABB Combustion Engineering	16x16	400290								SFP	
4703	S3H304	7	7/22/1995	43,757	4.03	ABB Combustion Engineering	16x16	399381								SFP	
4703	S3H213	7	7/22/1995	43,711	3.96	ABB Combustion Engineering	16x16	400205								SFP	
4703	S3H220	7	7/22/1995	43,698	3.96	ABB Combustion Engineering	16x16	399725								SFP	
4703	S3H203	7	7/22/1995	43,633	3.96	ABB Combustion Engineering	16x16	399353								SFP	
4703	S3H214	7	7/22/1995	43,573	3.96	ABB Combustion Engineering	16x16	399643								SFP	
4703	S3H212	7	7/22/1995	43,514	3.96	ABB Combustion Engineering	16x16	400100								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3H312	7	7/22/1995	43,457	4.04	ABB Combustion Engineering	16x16	399136								SFP	
4703	S3H311	7	7/22/1995	43,392	4.04	ABB Combustion Engineering	16x16	399385								SFP	
4703	S3H303	7	7/22/1995	43,310	4.03	ABB Combustion Engineering	16x16	399615								SFP	
4703	S3H201	7	7/22/1995	43,255	3.96	ABB Combustion Engineering	16x16	400139								SFP	
4703	S3H244	7	7/22/1995	42,866	3.95	ABB Combustion Engineering	16x16	399219								SFP	
4703	S3H217	7	7/22/1995	42,748	3.95	ABB Combustion Engineering	16x16	399261								SFP	
4703	S3H226	7	7/22/1995	42,515	3.96	ABB Combustion Engineering	16x16	398513								SFP	
4703	S3H202	7	7/22/1995	42,403	3.95	ABB Combustion Engineering	16x16	399265								SFP	
4703	S3H105	7	7/22/1995	42,082	3.96	ABB Combustion Engineering	16x16	413811								SFP	
4703	S3H112	7	7/22/1995	42,033	3.96	ABB Combustion Engineering	16x16	414261								SFP	
4703	S3H103	7	7/22/1995	42,009	3.96	ABB Combustion Engineering	16x16	413881								SFP	
4703	S3H405	7	7/22/1995	41,909	3.95	ABB Combustion Engineering	16x16	399418								SFP	
4703	S3H107	7	7/22/1995	41,902	3.96	ABB Combustion Engineering	16x16	413859								SFP	
4703	S3H111	7	7/22/1995	41,748	3.96	ABB Combustion Engineering	16x16	414315								SFP	
4703	S3H108	7	7/22/1995	41,690	3.96	ABB Combustion Engineering	16x16	414169								SFP	
4703	S3H110	7	7/22/1995	41,687	3.96	ABB Combustion Engineering	16x16	414016								SFP	
4703	S3H406	7	7/22/1995	41,681	3.96	ABB Combustion Engineering	16x16	399236								SFP	
4703	S3H106	7	7/22/1995	41,654	3.96	ABB Combustion Engineering	16x16	414028								SFP	
4703	S3H401	7	7/22/1995	41,575	3.96	ABB Combustion Engineering	16x16	399653								SFP	
4703	S3H408	7	7/22/1995	41,522	3.96	ABB Combustion Engineering	16x16	398917								SFP	
4703	S3H402	7	7/22/1995	41,507	3.96	ABB Combustion Engineering	16x16	399622								SFP	
4703	S3H404	7	7/22/1995	41,397	3.94	ABB Combustion Engineering	16x16	398166								SFP	
4703	S3H403	7	7/22/1995	41,189	3.96	ABB Combustion Engineering	16x16	398777								SFP	
4703	S3H407	7	7/22/1995	41,102	3.96	ABB Combustion Engineering	16x16	399069								SFP	C7: 0
4703	S3G309	6	10/10/1993	46,051	4.02	ABB Combustion Engineering	16x16	397531								SFP	
4703	S3G206	6	10/10/1993	46,011	3.93	ABB Combustion Engineering	16x16	398956								SFP	
4703	S3G236	6	10/10/1993	45,850	3.94	ABB Combustion Engineering	16x16	398459								SFP	
4703	S3G252	6	10/10/1993	45,730	3.94	ABB Combustion Engineering	16x16	397972								SFP	
4703	S3G311	6	10/10/1993	45,725	4.02	ABB Combustion Engineering	16x16	397994								SFP	
4703	S3G230	6	10/10/1993	45,698	3.94	ABB Combustion Engineering	16x16	397996								SFP	
4703	S3G211	6	10/10/1993	45,697	3.93	ABB Combustion Engineering	16x16	398767								SFP	
4703	S3G209	6	10/10/1993	45,680	3.93	ABB Combustion Engineering	16x16	398750								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3G301	6	10/10/1993	45,678	4.03	ABB Combustion Engineering	16x16	396942								SFP	
4703	S3G248	6	10/10/1993	45,633	3.93	ABB Combustion Engineering	16x16	399118								SFP	
4703	S3G316	6	10/10/1993	45,609	4.01	ABB Combustion Engineering	16x16	398237								SFP	
4703	S3G216	6	10/10/1993	45,544	3.93	ABB Combustion Engineering	16x16	399011								SFP	
4703	S3G306	6	10/10/1993	45,454	4.03	ABB Combustion Engineering	16x16	397207								SFP	
4703	S3G303	6	10/10/1993	45,430	4	ABB Combustion Engineering	16x16	398765								SFP	
4703	S3G304	6	10/10/1993	45,337	4.01	ABB Combustion Engineering	16x16	397616								SFP	
4703	S3G313	6	10/10/1993	45,323	4.02	ABB Combustion Engineering	16x16	397207								SFP	
4703	S3G201	6	10/10/1993	45,254	3.93	ABB Combustion Engineering	16x16	399558								SFP	
4703	S3G233	6	10/10/1993	44,893	3.94	ABB Combustion Engineering	16x16	398445								SFP	
4703	S3G241	6	10/10/1993	44,890	3.94	ABB Combustion Engineering	16x16	398841								SFP	
4703	S3G239	6	10/10/1993	44,787	3.94	ABB Combustion Engineering	16x16	398939								SFP	
4703	S3G315	6	10/10/1993	44,519	4.01	ABB Combustion Engineering	16x16	398960								SFP	
4703	S3G305	6	10/10/1993	44,448	4.02	ABB Combustion Engineering	16x16	398609								SFP	
4703	S3G314	6	10/10/1993	44,313	4.02	ABB Combustion Engineering	16x16	397724								SFP	
4703	S3G307	6	10/10/1993	44,310	4.03	ABB Combustion Engineering	16x16	398704								SFP	
4703	S3G226	6	10/10/1993	44,157	3.94	ABB Combustion Engineering	16x16	397499								SFP	
4703	S3G220	6	10/10/1993	43,980	3.94	ABB Combustion Engineering	16x16	397978								SFP	
4703	S3G244	6	10/10/1993	43,649	3.94	ABB Combustion Engineering	16x16	398022								SFP	
4703	S3G228	6	10/10/1993	43,618	3.93	ABB Combustion Engineering	16x16	398644								SFP	
4703	S3G235	6	10/10/1993	43,541	3.94	ABB Combustion Engineering	16x16	398112								SFP	
4703	S3G229	6	10/10/1993	43,474	3.93	ABB Combustion Engineering	16x16	397895								SFP	
4703	S3G221	6	10/10/1993	43,319	3.94	ABB Combustion Engineering	16x16	397920								SFP	
4703	S3G251	6	10/10/1993	43,114	3.94	ABB Combustion Engineering	16x16	397641								SFP	
4703	S3G245	6	10/10/1993	43,112	3.94	ABB Combustion Engineering	16x16	398632								SFP	
4703	S3G254	6	10/10/1993	43,109	3.94	ABB Combustion Engineering	16x16	397936								SFP	
4703	S3G217	6	10/10/1993	42,881	3.94	ABB Combustion Engineering	16x16	398467								SFP	
4703	S3G227	6	10/10/1993	42,815	3.94	ABB Combustion Engineering	16x16	398025								SFP	
4703	S3G214	6	10/10/1993	42,792	3.93	ABB Combustion Engineering	16x16	398732								SFP	
4703	S3G210	6	10/10/1993	42,767	3.93	ABB Combustion Engineering	16x16	398741								SFP	
4703	S3G308	6	10/10/1993	42,734	4.03	ABB Combustion Engineering	16x16	397242								SFP	
4703	S3G215	6	10/10/1993	42,655	3.93	ABB Combustion Engineering	16x16	398992								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3G225	6	10/10/1993	42,469	3.94	ABB Combustion Engineering	16x16	397753								SFP	
4703	S3G310	6	10/10/1993	42,430	4.03	ABB Combustion Engineering	16x16	397885								SFP	
4703	S3G312	6	10/10/1993	42,364	4.02	ABB Combustion Engineering	16x16	398219								SFP	
4703	S3G302	6	10/10/1993	42,188	4.02	ABB Combustion Engineering	16x16	398101								SFP	
4703	S3G109	6	10/10/1993	42,067	3.96	ABB Combustion Engineering	16x16	411831								SFP	
4703	S3G234	6	10/10/1993	41,766	3.94	ABB Combustion Engineering	16x16	398909								SFP	
4703	S3G108	6	10/10/1993	41,558	3.96	ABB Combustion Engineering	16x16	412265								SFP	
4703	S3G205	6	10/10/1993	41,537	3.95	ABB Combustion Engineering	16x16	398633								SFP	
4703	S3G202	6	10/10/1993	41,493	3.93	ABB Combustion Engineering	16x16	399715								SFP	
4703	S3G404	6	10/10/1993	41,471	3.95	ABB Combustion Engineering	16x16	397545								SFP	
4703	S3G111	6	10/10/1993	41,468	3.96	ABB Combustion Engineering	16x16	411960								SFP	
4703	S3G407	6	10/10/1993	41,465	3.95	ABB Combustion Engineering	16x16	397366								SFP	
4703	S3G405	6	10/10/1993	41,389	3.95	ABB Combustion Engineering	16x16	397978								SFP	
4703	S3G232	6	10/10/1993	41,316	3.93	ABB Combustion Engineering	16x16	399524								SFP	
4703	S3G107	6	10/10/1993	41,275	3.94	ABB Combustion Engineering	16x16	413306								SFP	
4703	S3G101	6	10/10/1993	41,231	3.95	ABB Combustion Engineering	16x16	413028								SFP	
4703	S3G408	6	10/10/1993	41,138	3.94	ABB Combustion Engineering	16x16	398559								SFP	
4703	S3G102	6	10/10/1993	41,136	3.95	ABB Combustion Engineering	16x16	411825								SFP	
4703	S3G104	6	10/10/1993	41,120	3.96	ABB Combustion Engineering	16x16	411149								SFP	
4703	S3G106	6	10/10/1993	41,117	3.94	ABB Combustion Engineering	16x16	412873								SFP	
4703	S3G402	6	10/10/1993	40,786	3.95	ABB Combustion Engineering	16x16	398406								SFP	
4703	S3G403	6	10/10/1993	40,673	3.95	ABB Combustion Engineering	16x16	399022								SFP	
4703	S3G406	6	10/10/1993	40,673	3.95	ABB Combustion Engineering	16x16	397977								SFP	
4703	S3G401	6	10/10/1993	40,472	3.95	ABB Combustion Engineering	16x16	398012								SFP	
4703	S3G001	6	10/10/1993	36,356	3.94	ABB Combustion Engineering	16x16	428572								SFP	
4703	S3G003	6	10/10/1993	36,081	3.94	ABB Combustion Engineering	16x16	428721								SFP	
4703	S3G006	6	10/10/1993	36,003	3.94	ABB Combustion Engineering	16x16	428821								SFP	
4703	S3A064	6	10/10/1993	25,427	1.88	ABB Combustion Engineering	16x16	427918								SFP	C6: 0
4703	S3F235	5	1/24/1992	48,084	3.96	ABB Combustion Engineering	16x16	399315								SFP	
4703	S3F226	5	1/24/1992	47,888	3.95	ABB Combustion Engineering	16x16	399832								SFP	
4703	S3F227	5	1/24/1992	47,849	3.96	ABB Combustion Engineering	16x16	399228								SFP	
4703	S3F224	5	1/24/1992	47,755	3.95	ABB Combustion Engineering	16x16	400549								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3F232	5	1/24/1992	47,739	3.96	ABB Combustion Engineering	16x16	399426								SFP	
4703	S3F241	5	1/24/1992	47,664	3.95	ABB Combustion Engineering	16x16	398318								SFP	
4703	S3F231	5	1/24/1992	47,610	3.96	ABB Combustion Engineering	16x16	399250								SFP	
4703	S3F249	5	1/24/1992	47,391	3.95	ABB Combustion Engineering	16x16	399044								SFP	
4703	S3F208	5	1/24/1992	47,193	3.95	ABB Combustion Engineering	16x16	399120								SFP	
4703	S3F308	5	1/24/1992	47,078	4.04	ABB Combustion Engineering	16x16	398818								SFP	
4703	S3F242	5	1/24/1992	46,890	3.95	ABB Combustion Engineering	16x16	397962								SFP	
4703	S3F315	5	1/24/1992	46,730	4.02	ABB Combustion Engineering	16x16	399825								SFP	
4703	S3F314	5	1/24/1992	46,711	4.03	ABB Combustion Engineering	16x16	399281								SFP	
4703	S3F225	5	1/24/1992	46,680	3.95	ABB Combustion Engineering	16x16	399464								SFP	
4703	S3F313	5	1/24/1992	46,662	4.04	ABB Combustion Engineering	16x16	398444								SFP	
4703	S3F310	5	1/24/1992	46,660	4.03	ABB Combustion Engineering	16x16	399162								SFP	
4703	S3F245	5	1/24/1992	46,608	3.95	ABB Combustion Engineering	16x16	398097								SFP	
4703	S3F311	5	1/24/1992	46,563	4.04	ABB Combustion Engineering	16x16	398624								SFP	
4703	S3F316	5	1/24/1992	46,316	4.03	ABB Combustion Engineering	16x16	399319								SFP	
4703	S3F303	5	1/24/1992	46,023	4.03	ABB Combustion Engineering	16x16	400061								SFP	
4703	S3F307	5	1/24/1992	45,934	4.03	ABB Combustion Engineering	16x16	399320								SFP	
4703	S3F312	5	1/24/1992	45,921	4.04	ABB Combustion Engineering	16x16	397437								SFP	
4703	S3F301	5	1/24/1992	45,638	4.03	ABB Combustion Engineering	16x16	400124								SFP	
4703	S3F302	5	1/24/1992	45,585	4.03	ABB Combustion Engineering	16x16	400115								SFP	
4703	S3F236	5	1/24/1992	45,418	3.95	ABB Combustion Engineering	16x16	398531								SFP	
4703	S3F228	5	1/24/1992	45,376	3.95	ABB Combustion Engineering	16x16	398891								SFP	
4703	S3F204	5	1/24/1992	45,225	3.95	ABB Combustion Engineering	16x16	398760								SFP	
4703	S3F201	5	1/24/1992	45,210	3.95	ABB Combustion Engineering	16x16	398827								SFP	
4703	S3F222	5	1/24/1992	45,205	3.95	ABB Combustion Engineering	16x16	400115								SFP	
4703	S3F219	5	1/24/1992	45,149	3.96	ABB Combustion Engineering	16x16	398198								SFP	
4703	S3F247	5	1/24/1992	45,069	3.95	ABB Combustion Engineering	16x16	399163								SFP	
4703	S3F203	5	1/24/1992	44,995	3.95	ABB Combustion Engineering	16x16	398818								SFP	
4703	S3F305	5	1/24/1992	44,273	4.03	ABB Combustion Engineering	16x16	400375								SFP	
4703	S3F304	5	1/24/1992	44,174	4.03	ABB Combustion Engineering	16x16	400281								SFP	
4703	S3F309	5	1/24/1992	44,097	4.03	ABB Combustion Engineering	16x16	400283								SFP	
4703	S3F212	5	1/24/1992	44,050	3.96	ABB Combustion Engineering	16x16	399283								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3F306	5	1/24/1992	44,033	4.03	ABB Combustion Engineering	16x16	400806								SFP	
4703	S3F211	5	1/24/1992	44,022	3.96	ABB Combustion Engineering	16x16	399214								SFP	
4703	S3F252	5	1/24/1992	43,996	3.95	ABB Combustion Engineering	16x16	398912								SFP	
4703	S3F251	5	1/24/1992	43,983	3.95	ABB Combustion Engineering	16x16	398388								SFP	
4703	S3F209	5	1/24/1992	43,778	3.96	ABB Combustion Engineering	16x16	399174								SFP	
4703	S3F210	5	1/24/1992	43,712	3.96	ABB Combustion Engineering	16x16	399236								SFP	
4703	S3F214	5	1/24/1992	43,581	3.95	ABB Combustion Engineering	16x16	398227								SFP	
4703	S3F215	5	1/24/1992	43,574	3.95	ABB Combustion Engineering	16x16	398329								SFP	
4703	S3F233	5	1/24/1992	42,693	3.96	ABB Combustion Engineering	16x16	399849								SFP	
4703	S3F248	5	1/24/1992	42,490	3.95	ABB Combustion Engineering	16x16	399602								SFP	
4703	S3F250	5	1/24/1992	42,353	3.95	ABB Combustion Engineering	16x16	398929								SFP	
4703	S3F234	5	1/24/1992	42,292	3.96	ABB Combustion Engineering	16x16	399797								SFP	
4703	S3F102	5	1/24/1992	42,272	3.96	ABB Combustion Engineering	16x16	412406								SFP	
4703	S3F403	5	1/24/1992	42,060	3.95	ABB Combustion Engineering	16x16	398139								SFP	
4703	S3F407	5	1/24/1992	41,996	3.95	ABB Combustion Engineering	16x16	398562								SFP	
4703	S3F406	5	1/24/1992	41,946	3.95	ABB Combustion Engineering	16x16	397587								SFP	
4703	S3F108	5	1/24/1992	41,924	3.96	ABB Combustion Engineering	16x16	412506								SFP	
4703	S3F402	5	1/24/1992	41,908	3.95	ABB Combustion Engineering	16x16	399037								SFP	
4703	S3F107	5	1/24/1992	41,885	3.95	ABB Combustion Engineering	16x16	413478								SFP	
4703	S3F408	5	1/24/1992	41,844	3.95	ABB Combustion Engineering	16x16	398038								SFP	
4703	S3F401	5	1/24/1992	41,811	3.95	ABB Combustion Engineering	16x16	398225								SFP	
4703	S3F104	5	1/24/1992	41,810	3.96	ABB Combustion Engineering	16x16	412859								SFP	
4703	S3F103	5	1/24/1992	41,808	3.96	ABB Combustion Engineering	16x16	412636								SFP	
4703	S3F110	5	1/24/1992	41,798	3.95	ABB Combustion Engineering	16x16	414359								SFP	
4703	S3F101	5	1/24/1992	41,673	3.95	ABB Combustion Engineering	16x16	414039								SFP	
4703	S3F112	5	1/24/1992	41,649	3.95	ABB Combustion Engineering	16x16	413994								SFP	
4703	S3F405	5	1/24/1992	41,641	3.95	ABB Combustion Engineering	16x16	397279								SFP	
4703	S3F404	5	1/24/1992	41,636	3.95	ABB Combustion Engineering	16x16	397923								SFP	
4703	S3F109	5	1/24/1992	37,772	3.95	ABB Combustion Engineering	16x16	411821								SFP	
4703	S3F111	5	1/24/1992	37,719	3.96	ABB Combustion Engineering	16x16	414175								SFP	
4703	S3F010	5	1/24/1992	37,153	3.96	ABB Combustion Engineering	16x16	428805								SFP	
4703	S3F012	5	1/24/1992	36,927	3.96	ABB Combustion Engineering	16x16	428695								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3F015	5	1/24/1992	36,800	3.96	ABB Combustion Engineering	16x16	427448								SFP	
4703	S3F005	5	1/24/1992	36,701	3.96	ABB Combustion Engineering	16x16	428839								SFP	
4703	S3F011	5	1/24/1992	36,698	3.96	ABB Combustion Engineering	16x16	428456								SFP	
4703	S3F016	5	1/24/1992	36,651	3.96	ABB Combustion Engineering	16x16	428655								SFP	
4703	S3F002	5	1/24/1992	36,541	3.96	ABB Combustion Engineering	16x16	429117								SFP	
4703	S3F013	5	1/24/1992	36,517	3.96	ABB Combustion Engineering	16x16	428741								SFP	
4703	S3F006	5	1/24/1992	35,841	3.96	ABB Combustion Engineering	16x16	427983								SFP	
4703	S3F218	5	1/24/1992	35,677	3.95	ABB Combustion Engineering	16x16	397940								SFP	
4703	S3F216	5	1/24/1992	35,609	3.95	ABB Combustion Engineering	16x16	397771								SFP	
4703	S3F239	5	1/24/1992	35,425	3.95	ABB Combustion Engineering	16x16	398242								SFP	
4703	S3F256	5	1/24/1992	35,399	3.95	ABB Combustion Engineering	16x16	398143								SFP	
4703	S3F008	5	1/24/1992	35,373	3.96	ABB Combustion Engineering	16x16	428598								SFP	
4703	S3F255	5	1/24/1992	35,272	3.95	ABB Combustion Engineering	16x16	398370								SFP	
4703	S3F221	5	1/24/1992	35,238	3.95	ABB Combustion Engineering	16x16	399935								SFP	
4703	S3F213	5	1/24/1992	35,206	3.96	ABB Combustion Engineering	16x16	398823								SFP	
4703	S3F244	5	1/24/1992	35,179	3.95	ABB Combustion Engineering	16x16	397486								SFP	
4703	S3F202	5	1/24/1992	35,126	3.95	ABB Combustion Engineering	16x16	399008								SFP	
4703	S3F206	5	1/24/1992	35,098	3.95	ABB Combustion Engineering	16x16	399014								SFP	
4703	S3F220	5	1/24/1992	35,074	3.95	ABB Combustion Engineering	16x16	398774								SFP	
4703	S3A063	5	1/24/1992	23,949	1.89	ABB Combustion Engineering	16x16	428382								SFP	C5: 0
4703	S3E304	4	4/14/1990	40,348	3.36	ABB Combustion Engineering	16x16	396222								SFP	
4703	S3E310	4	4/14/1990	40,240	3.36	ABB Combustion Engineering	16x16	395904								SFP	
4703	S3E312	4	4/14/1990	40,187	3.36	ABB Combustion Engineering	16x16	394950								SFP	
4703	S3E309	4	4/14/1990	40,160	3.36	ABB Combustion Engineering	16x16	396225								SFP	
4703	S3E105	4	4/14/1990	39,434	3.9	ABB Combustion Engineering	16x16	419421								SFP	
4703	S3E305	4	4/14/1990	39,333	3.36	ABB Combustion Engineering	16x16	396554								SFP	
4703	S3E301	4	4/14/1990	39,326	3.36	ABB Combustion Engineering	16x16	398673								SFP	
4703	S3E306	4	4/14/1990	39,252	3.36	ABB Combustion Engineering	16x16	399825								SFP	
4703	S3E108	4	4/14/1990	39,244	3.9	ABB Combustion Engineering	16x16	419178								SFP	
4703	S3E107	4	4/14/1990	39,226	3.9	ABB Combustion Engineering	16x16	420874								SFP	
4703	S3E102	4	4/14/1990	39,225	3.9	ABB Combustion Engineering	16x16	421300								SFP	
4703	S3E307	4	4/14/1990	39,203	3.36	ABB Combustion Engineering	16x16	396609								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3E106	4	4/14/1990	39,178	3.9	ABB Combustion Engineering	16x16	419122								SFP	
4703	S3E103	4	4/14/1990	39,169	3.9	ABB Combustion Engineering	16x16	420684								SFP	
4703	S3E308	4	4/14/1990	39,157	3.36	ABB Combustion Engineering	16x16	396362								SFP	
4703	S3E222	4	4/14/1990	39,151	3.37	ABB Combustion Engineering	16x16	412310								SFP	
4703	S3E104	4	4/14/1990	39,128	3.9	ABB Combustion Engineering	16x16	419179								SFP	
4703	S3E311	4	4/14/1990	39,098	3.36	ABB Combustion Engineering	16x16	396771								SFP	
4703	S3E202	4	4/14/1990	39,078	3.36	ABB Combustion Engineering	16x16	413047								SFP	
4703	S3E211	4	4/14/1990	39,075	3.36	ABB Combustion Engineering	16x16	413064								SFP	
4703	S3E209	4	4/14/1990	39,047	3.36	ABB Combustion Engineering	16x16	412818								SFP	
4703	S3E221	4	4/14/1990	38,997	3.36	ABB Combustion Engineering	16x16	413249								SFP	
4703	S3E227	4	4/14/1990	38,977	3.37	ABB Combustion Engineering	16x16	412818								SFP	
4703	S3E218	4	4/14/1990	38,977	3.37	ABB Combustion Engineering	16x16	413295								SFP	
4703	S3E215	4	4/14/1990	38,908	3.37	ABB Combustion Engineering	16x16	412319								SFP	
4703	S3E303	4	4/14/1990	38,717	3.36	ABB Combustion Engineering	16x16	397889								SFP	
4703	S3E302	4	4/14/1990	38,588	3.36	ABB Combustion Engineering	16x16	396970								SFP	
4703	S3E037	4	4/14/1990	37,956	3.9	ABB Combustion Engineering	16x16	426784								SFP	
4703	S3E003	4	4/14/1990	37,825	3.9	ABB Combustion Engineering	16x16	427078								SFP	
4703	S3E038	4	4/14/1990	37,693	3.9	ABB Combustion Engineering	16x16	426022								SFP	
4703	S3E029	4	4/14/1990	37,647	3.9	ABB Combustion Engineering	16x16	425850								SFP	
4703	S3E001	4	4/14/1990	37,541	3.9	ABB Combustion Engineering	16x16	426366								SFP	
4703	S3E039	4	4/14/1990	37,518	3.91	ABB Combustion Engineering	16x16	426287								SFP	
4703	S3E008	4	4/14/1990	37,419	3.9	ABB Combustion Engineering	16x16	426727								SFP	
4703	S3E018	4	4/14/1990	37,250	3.9	ABB Combustion Engineering	16x16	426563								SFP	
4703	S3E205	4	4/14/1990	36,725	3.36	ABB Combustion Engineering	16x16	412445								SFP	
4703	S3E226	4	4/14/1990	36,524	3.36	ABB Combustion Engineering	16x16	411573								SFP	
4703	S3E216	4	4/14/1990	36,512	3.37	ABB Combustion Engineering	16x16	411678								SFP	
4703	S3E206	4	4/14/1990	36,496	3.36	ABB Combustion Engineering	16x16	412207								SFP	
4703	S3E028	4	4/14/1990	35,441	3.9	ABB Combustion Engineering	16x16	424951								SFP	
4703	S3E207	4	4/14/1990	35,406	3.36	ABB Combustion Engineering	16x16	410778								SFP	
4703	S3E225	4	4/14/1990	35,344	3.37	ABB Combustion Engineering	16x16	410268								SFP	
4703	S3E019	4	4/14/1990	35,341	3.9	ABB Combustion Engineering	16x16	424387								SFP	
4703	S3E219	4	4/14/1990	35,320	3.36	ABB Combustion Engineering	16x16	412475								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3E228	4	4/14/1990	35,294	3.37	ABB Combustion Engineering	16x16	411529								SFP	
4703	S3E027	4	4/14/1990	35,275	3.91	ABB Combustion Engineering	16x16	424702								SFP	
4703	S3E217	4	4/14/1990	35,249	3.37	ABB Combustion Engineering	16x16	411873								SFP	
4703	S3E020	4	4/14/1990	35,224	3.9	ABB Combustion Engineering	16x16	425384								SFP	
4703	S3E009	4	4/14/1990	35,207	3.9	ABB Combustion Engineering	16x16	424938								SFP	
4703	S3E032	4	4/14/1990	35,147	3.9	ABB Combustion Engineering	16x16	425901								SFP	
4703	S3E030	4	4/14/1990	35,132	3.9	ABB Combustion Engineering	16x16	425605								SFP	
4703	S3E025	4	4/14/1990	35,072	3.9	ABB Combustion Engineering	16x16	425235								SFP	
4703	S3E017	4	4/14/1990	34,878	3.91	ABB Combustion Engineering	16x16	427175								SFP	
4703	S3E213	4	4/14/1990	34,710	3.36	ABB Combustion Engineering	16x16	411273								SFP	
4703	S3E004	4	4/14/1990	34,657	3.9	ABB Combustion Engineering	16x16	427334								SFP	
4703	S3E007	4	4/14/1990	34,619	3.9	ABB Combustion Engineering	16x16	427030								SFP	
4703	S3E212	4	4/14/1990	34,547	3.36	ABB Combustion Engineering	16x16	412007								SFP	
4703	S3E016	4	4/14/1990	34,547	3.91	ABB Combustion Engineering	16x16	427064								SFP	
4703	S3E033	4	4/14/1990	34,516	3.9	ABB Combustion Engineering	16x16	427302								SFP	
4703	S3E005	4	4/14/1990	34,440	3.9	ABB Combustion Engineering	16x16	427176								SFP	
4703	S3E014	4	4/14/1990	34,376	3.91	ABB Combustion Engineering	16x16	427127								SFP	
4703	S3D043	4	4/14/1990	32,375	3.46	ABB Combustion Engineering	16x16	426010								SFP	
4703	S3D021	4	4/14/1990	32,155	3.46	ABB Combustion Engineering	16x16	426476								SFP	
4703	S3D029	4	4/14/1990	32,042	3.46	ABB Combustion Engineering	16x16	426985								SFP	
4703	S3D032	4	4/14/1990	31,882	3.46	ABB Combustion Engineering	16x16	426288								SFP	
4703	S3D031	4	4/14/1990	31,830	3.46	ABB Combustion Engineering	16x16	426564								SFP	
4703	S3D034	4	4/14/1990	31,550	3.46	ABB Combustion Engineering	16x16	426319								SFP	
4703	S3A008	4	4/14/1990	31,541	1.88	ABB Combustion Engineering	16x16	427736								SFP	
4703	S3D036	4	4/14/1990	31,465	3.46	ABB Combustion Engineering	16x16	425867								SFP	
4703	S3D045	4	4/14/1990	31,392	3.46	ABB Combustion Engineering	16x16	426100								SFP	
4703	S3D028	4	4/14/1990	31,385	3.46	ABB Combustion Engineering	16x16	426326								SFP	
4703	S3A029	4	4/14/1990	31,374	1.88	ABB Combustion Engineering	16x16	427529								SFP	
4703	S3A021	4	4/14/1990	31,373	1.88	ABB Combustion Engineering	16x16	426979								SFP	
4703	S3D026	4	4/14/1990	31,337	3.46	ABB Combustion Engineering	16x16	426505								SFP	
4703	S3A037	4	4/14/1990	31,273	1.88	ABB Combustion Engineering	16x16	427239								SFP	
4703	S3D040	4	4/14/1990	30,423	3.46	ABB Combustion Engineering	16x16	426155								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3D016	4	4/14/1990	30,422	3.46	ABB Combustion Engineering	16x16	426222								SFP	
4703	S3D030	4	4/14/1990	30,267	3.46	ABB Combustion Engineering	16x16	426981								SFP	
4703	S3D018	4	4/14/1990	29,958	3.46	ABB Combustion Engineering	16x16	426086								SFP	
4703	S3A054	4	4/14/1990	24,972	1.89	ABB Combustion Engineering	16x16	428728								SFP	C4: 0
4703	S3C210	3	4/30/1988	37,912	2.88	ABB Combustion Engineering	16x16	398119								SFP	
4703	S3C204	3	4/30/1988	37,730	2.88	ABB Combustion Engineering	16x16	398884								SFP	
4703	S3C213	3	4/30/1988	37,490	2.88	ABB Combustion Engineering	16x16	395396								SFP	
4703	S3C207	3	4/30/1988	37,448	2.88	ABB Combustion Engineering	16x16	398495								SFP	
4703	S3C107	3	4/30/1988	36,726	2.88	ABB Combustion Engineering	16x16	406450								SFP	
4703	S3C103	3	4/30/1988	36,701	2.9	ABB Combustion Engineering	16x16	404246								SFP	
4703	S3C102	3	4/30/1988	36,616	2.9	ABB Combustion Engineering	16x16	404286								SFP	
4703	S3C106	3	4/30/1988	36,451	2.88	ABB Combustion Engineering	16x16	405989								SFP	
4703	S3C105	3	4/30/1988	36,446	2.9	ABB Combustion Engineering	16x16	404304								SFP	
4703	S3C101	3	4/30/1988	36,404	2.89	ABB Combustion Engineering	16x16	405118								SFP	
4703	S3C108	3	4/30/1988	36,380	2.88	ABB Combustion Engineering	16x16	406833								SFP	
4703	S3C104	3	4/30/1988	36,332	2.89	ABB Combustion Engineering	16x16	404104								SFP	
4703	S3C201	3	4/30/1988	35,772	2.88	ABB Combustion Engineering	16x16	398485								SFP	
4703	S3C216	3	4/30/1988	35,716	2.88	ABB Combustion Engineering	16x16	395578								SFP	
4703	S3C023	3	4/30/1988	35,575	2.89	ABB Combustion Engineering	16x16	426461								SFP	
4703	S3C040	3	4/30/1988	35,560	2.88	ABB Combustion Engineering	16x16	428247								SFP	
4703	S3C011	3	4/30/1988	35,459	2.9	ABB Combustion Engineering	16x16	426273								SFP	
4703	S3C027	3	4/30/1988	35,440	2.89	ABB Combustion Engineering	16x16	427866								SFP	
4703	S3C012	3	4/30/1988	35,426	2.89	ABB Combustion Engineering	16x16	426788								SFP	
4703	S3C013	3	4/30/1988	35,407	2.89	ABB Combustion Engineering	16x16	426264								SFP	
4703	S3C005	3	4/30/1988	35,388	2.89	ABB Combustion Engineering	16x16	425954								SFP	
4703	S3C037	3	4/30/1988	35,380	2.89	ABB Combustion Engineering	16x16	424825								SFP	
4703	S3C202	3	4/30/1988	35,329	2.89	ABB Combustion Engineering	16x16	397460								SFP	
4703	S3C212	3	4/30/1988	35,034	2.88	ABB Combustion Engineering	16x16	397682								SFP	
4703	S3C004	3	4/30/1988	34,508	2.9	ABB Combustion Engineering	16x16	425849								SFP	
4703	S3C016	3	4/30/1988	34,265	2.88	ABB Combustion Engineering	16x16	429935								SFP	
4703	S3C039	3	4/30/1988	34,058	2.9	ABB Combustion Engineering	16x16	425865								SFP	
4703	S3C021	3	4/30/1988	33,836	2.89	ABB Combustion Engineering	16x16	427032								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle:
					Enrich (round down)												Total Failed
4703	S3C009	3	4/30/1988	33,734	2.9	ABB Combustion Engineering	16x16	425498								SFP	
4703	S3C038	3	4/30/1988	33,545	2.89	ABB Combustion Engineering	16x16	428790								SFP	
4703	S3C034	3	4/30/1988	33,512	2.89	ABB Combustion Engineering	16x16	425148								SFP	
4703	S3C036	3	4/30/1988	33,385	2.88	ABB Combustion Engineering	16x16	427432								SFP	
4703	S3C020	3	4/30/1988	33,334	2.88	ABB Combustion Engineering	16x16	428822								SFP	
4703	S3C003	3	4/30/1988	33,324	2.89	ABB Combustion Engineering	16x16	425589								SFP	
4703	S3C025	3	4/30/1988	33,292	2.88	ABB Combustion Engineering	16x16	426812								SFP	
4703	S3C010	3	4/30/1988	33,275	2.9	ABB Combustion Engineering	16x16	425854								SFP	
4703	S3C026	3	4/30/1988	33,263	2.88	ABB Combustion Engineering	16x16	429033								SFP	
4703	S3C002	3	4/30/1988	33,111	2.88	ABB Combustion Engineering	16x16	425379								SFP	
4703	S3C022	3	4/30/1988	33,065	2.89	ABB Combustion Engineering	16x16	427187								SFP	
4703	S3C015	3	4/30/1988	33,061	2.88	ABB Combustion Engineering	16x16	428757								SFP	
4703	S3C007	3	4/30/1988	32,286	2.89	ABB Combustion Engineering	16x16	425608								SFP	
4703	S3C028	3	4/30/1988	32,271	2.89	ABB Combustion Engineering	16x16	427040								SFP	
4703	S3C030	3	4/30/1988	32,260	2.89	ABB Combustion Engineering	16x16	427006								SFP	
4703	S3C032	3	4/30/1988	32,234	2.89	ABB Combustion Engineering	16x16	423577								SFP	
4703	S3C014	3	4/30/1988	32,224	2.9	ABB Combustion Engineering	16x16	425788								SFP	
4703	S3C033	3	4/30/1988	32,223	2.89	ABB Combustion Engineering	16x16	425345								SFP	
4703	S3C024	3	4/30/1988	32,198	2.89	ABB Combustion Engineering	16x16	427087								SFP	
4703	S3C029	3	4/30/1988	32,186	2.88	ABB Combustion Engineering	16x16	427961								SFP	
4703	S3C018	3	4/30/1988	32,163	2.88	ABB Combustion Engineering	16x16	429236								SFP	
4703	S3C035	3	4/30/1988	32,053	2.88	ABB Combustion Engineering	16x16	427965								SFP	
4703	S3C017	3	4/30/1988	31,927	2.88	ABB Combustion Engineering	16x16	429326								SFP	
4703	S3C001	3	4/30/1988	31,909	2.89	ABB Combustion Engineering	16x16	425500								SFP	
4703	S3D106	3	4/30/1988	27,593	2.73	ABB Combustion Engineering	16x16	426754								SFP	
4703	S3D105	3	4/30/1988	27,548	2.74	ABB Combustion Engineering	16x16	424327								SFP	
4703	S3D113	3	4/30/1988	27,486	2.73	ABB Combustion Engineering	16x16	427257								SFP	
4703	S3D109	3	4/30/1988	27,366	2.73	ABB Combustion Engineering	16x16	427307								SFP	
4703	S3D108	3	4/30/1988	26,503	2.73	ABB Combustion Engineering	16x16	426952								SFP	
4703	S3D114	3	4/30/1988	26,445	2.73	ABB Combustion Engineering	16x16	427481								SFP	
4703	S3D110	3	4/30/1988	26,423	2.73	ABB Combustion Engineering	16x16	427215								SFP	
4703	S3D104	3	4/30/1988	26,346	2.74	ABB Combustion Engineering	16x16	426492								SFP	C3: 0

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3B043	2	1/2/1987	26,672	2.37	ABB Combustion Engineering	16x16	396123								SFP	
4703	S3B076	2	1/2/1987	26,671	2.37	ABB Combustion Engineering	16x16	396063								SFP	
4703	S3B053	2	1/2/1987	26,652	2.37	ABB Combustion Engineering	16x16	396564								SFP	
4703	S3B079	2	1/2/1987	26,496	2.37	ABB Combustion Engineering	16x16	396312								SFP	
4703	S3B049	2	1/2/1987	26,109	2.37	ABB Combustion Engineering	16x16	395300								SFP	
4703	S3B041	2	1/2/1987	26,103	2.37	ABB Combustion Engineering	16x16	396324								SFP	
4703	S3B029	2	1/2/1987	26,099	2.38	ABB Combustion Engineering	16x16	396600								SFP	
4703	S3C203	2	1/2/1987	26,098	2.88	ABB Combustion Engineering	16x16	399316		1						SFP	
4703	S3B052	2	1/2/1987	26,096	2.37	ABB Combustion Engineering	16x16	396380								SFP	
4703	S3B005	2	1/2/1987	26,049	2.37	ABB Combustion Engineering	16x16	396071								SFP	
4703	S3B061	2	1/2/1987	26,048	2.37	ABB Combustion Engineering	16x16	397251								SFP	
4703	S3B001	2	1/2/1987	26,034	2.37	ABB Combustion Engineering	16x16	396447								SFP	
4703	S3B025	2	1/2/1987	25,995	2.37	ABB Combustion Engineering	16x16	397181								SFP	
4703	S3B040	2	1/2/1987	25,977	2.37	ABB Combustion Engineering	16x16	396797								SFP	
4703	S3B004	2	1/2/1987	25,947	2.37	ABB Combustion Engineering	16x16	395825								SFP	
4703	S3B020	2	1/2/1987	25,929	2.37	ABB Combustion Engineering	16x16	397715								SFP	
4703	S3B006	2	1/2/1987	25,918	2.37	ABB Combustion Engineering	16x16	395466								SFP	
4703	S3B032	2	1/2/1987	25,914	2.37	ABB Combustion Engineering	16x16	396733								SFP	
4703	S3B003	2	1/2/1987	25,893	2.37	ABB Combustion Engineering	16x16	395850								SFP	
4703	S3B011	2	1/2/1987	25,893	2.37	ABB Combustion Engineering	16x16	397466								SFP	
4703	S3B050	2	1/2/1987	25,871	2.37	ABB Combustion Engineering	16x16	396896								SFP	
4703	S3B012	2	1/2/1987	25,855	2.37	ABB Combustion Engineering	16x16	397645								SFP	
4703	S3B023	2	1/2/1987	25,835	2.38	ABB Combustion Engineering	16x16	396817								SFP	
4703	S3B069	2	1/2/1987	25,809	2.37	ABB Combustion Engineering	16x16	398025								SFP	
4703	S3B072	2	1/2/1987	25,805	2.37	ABB Combustion Engineering	16x16	397931								SFP	
4703	S3B033	2	1/2/1987	25,789	2.37	ABB Combustion Engineering	16x16	396833								SFP	
4703	S3B042	2	1/2/1987	25,738	2.37	ABB Combustion Engineering	16x16	395840								SFP	
4703	S3B039	2	1/2/1987	25,728	2.37	ABB Combustion Engineering	16x16	396506								SFP	
4703	S3B038	2	1/2/1987	25,661	2.37	ABB Combustion Engineering	16x16	395946								SFP	
4703	S3B010	2	1/2/1987	25,439	2.37	ABB Combustion Engineering	16x16	397082								SFP	
4703	S3B037	2	1/2/1987	25,381	2.37	ABB Combustion Engineering	16x16	397597								SFP	
4703	S3B008	2	1/2/1987	25,351	2.37	ABB Combustion Engineering	16x16	397185								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3B046	2	1/2/1987	25,306	2.37	ABB Combustion Engineering	16x16	396493								SFP	
4703	S3B007	2	1/2/1987	25,303	2.37	ABB Combustion Engineering	16x16	396725								SFP	
4703	S3B015	2	1/2/1987	25,289	2.37	ABB Combustion Engineering	16x16	397709								SFP	
4703	S3B056	2	1/2/1987	25,284	2.37	ABB Combustion Engineering	16x16	396989								SFP	
4703	S3B080	2	1/2/1987	25,264	2.37	ABB Combustion Engineering	16x16	396780								SFP	
4703	S3B060	2	1/2/1987	25,256	2.37	ABB Combustion Engineering	16x16	396953								SFP	
4703	S3B057	2	1/2/1987	25,216	2.37	ABB Combustion Engineering	16x16	396861								SFP	
4703	S3B045	2	1/2/1987	25,213	2.37	ABB Combustion Engineering	16x16	396580								SFP	
4703	S3B048	2	1/2/1987	25,204	2.37	ABB Combustion Engineering	16x16	397622								SFP	
4703	S3B054	2	1/2/1987	25,198	2.37	ABB Combustion Engineering	16x16	397279								SFP	
4703	S3B021	2	1/2/1987	25,196	2.37	ABB Combustion Engineering	16x16	397051								SFP	
4703	S3B014	2	1/2/1987	25,163	2.37	ABB Combustion Engineering	16x16	397590								SFP	
4703	S3B063	2	1/2/1987	25,148	2.37	ABB Combustion Engineering	16x16	397691								SFP	
4703	S3B016	2	1/2/1987	25,143	2.37	ABB Combustion Engineering	16x16	397091								SFP	
4703	S3B034	2	1/2/1987	25,125	2.37	ABB Combustion Engineering	16x16	397553								SFP	
4703	S3B047	2	1/2/1987	25,115	2.37	ABB Combustion Engineering	16x16	396829								SFP	
4703	S3B009	2	1/2/1987	25,090	2.37	ABB Combustion Engineering	16x16	397591								SFP	
4703	S3B036	2	1/2/1987	25,048	2.37	ABB Combustion Engineering	16x16	398004								SFP	
4703	S3B031	2	1/2/1987	24,835	2.37	ABB Combustion Engineering	16x16	397042								SFP	
4703	S3B028	2	1/2/1987	24,818	2.37	ABB Combustion Engineering	16x16	397334								SFP	
4703	S3B022	2	1/2/1987	24,807	2.38	ABB Combustion Engineering	16x16	397199								SFP	
4703	S3B035	2	1/2/1987	24,782	2.37	ABB Combustion Engineering	16x16	397572								SFP	
4703	S3B013	2	1/2/1987	24,708	2.37	ABB Combustion Engineering	16x16	397603								SFP	
4703	S3B024	2	1/2/1987	24,707	2.38	ABB Combustion Engineering	16x16	397592								SFP	
4703	S3B019	2	1/2/1987	24,703	2.37	ABB Combustion Engineering	16x16	397878								SFP	
4703	S3B077	2	1/2/1987	24,681	2.37	ABB Combustion Engineering	16x16	399479								SFP	
4703	S3B062	2	1/2/1987	24,660	2.37	ABB Combustion Engineering	16x16	397562								SFP	
4703	S3B078	2	1/2/1987	24,651	2.38	ABB Combustion Engineering	16x16	399226								SFP	
4703	S3B055	2	1/2/1987	24,616	2.37	ABB Combustion Engineering	16x16	397827								SFP	
4703	S3B071	2	1/2/1987	24,603	2.37	ABB Combustion Engineering	16x16	398212								SFP	
4703	S3B067	2	1/2/1987	24,373	2.37	ABB Combustion Engineering	16x16	398555								SFP	
4703	S3B026	2	1/2/1987	24,292	2.38	ABB Combustion Engineering	16x16	397492								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed
4703	S3B027	2	1/2/1987	24,036	2.37	ABB Combustion Engineering	16x16	397995								SFP	
4703	S3B030	2	1/2/1987	24,007	2.38	ABB Combustion Engineering	16x16	397925								SFP	
4703	S3B068	2	1/2/1987	23,881	2.37	ABB Combustion Engineering	16x16	398129								SFP	
4703	S3B074	2	1/2/1987	23,850	2.38	ABB Combustion Engineering	16x16	399846								SFP	
4703	S3B070	2	1/2/1987	23,847	2.37	ABB Combustion Engineering	16x16	397947								SFP	
4703	S3B018	2	1/2/1987	23,821	2.37	ABB Combustion Engineering	16x16	398753								SFP	
4703	S3A068	2	1/2/1987	19,441	1.89	ABB Combustion Engineering	16x16	428392								SFP	C2: 1
4703	S3A049	1	9/14/1985	15,639	1.88	ABB Combustion Engineering	16x16	424631								SFP	
4703	S3A034	1	9/14/1985	15,609	1.87	ABB Combustion Engineering	16x16	426940								SFP	
4703	S3A024	1	9/14/1985	15,545	1.88	ABB Combustion Engineering	16x16	426317								SFP	
4703	S3A023	1	9/14/1985	15,541	1.88	ABB Combustion Engineering	16x16	426634								SFP	
4703	S3A032	1	9/14/1985	15,540	1.88	ABB Combustion Engineering	16x16	426015								SFP	
4703	S3A052	1	9/14/1985	15,529	1.88	ABB Combustion Engineering	16x16	426265								SFP	
4703	S3A053	1	9/14/1985	15,492	1.88	ABB Combustion Engineering	16x16	425852								SFP	
4703	S3A067	1	9/14/1985	15,490	1.88	ABB Combustion Engineering	16x16	426578								SFP	
4703	S3A027	1	9/14/1985	15,473	1.87	ABB Combustion Engineering	16x16	427343								SFP	
4703	S3A033	1	9/14/1985	15,454	1.88	ABB Combustion Engineering	16x16	426248								SFP	
4703	S3A022	1	9/14/1985	15,392	1.88	ABB Combustion Engineering	16x16	426207								SFP	
4703	S3A071	1	9/14/1985	15,259	1.88	ABB Combustion Engineering	16x16	427821								SFP	
4703	S3A069	1	9/14/1985	15,174	1.88	ABB Combustion Engineering	16x16	427083								SFP	
4703	S3A041	1	9/14/1985	15,115	1.88	ABB Combustion Engineering	16x16	427249								SFP	
4703	S3A031	1	9/14/1985	15,094	1.88	ABB Combustion Engineering	16x16	427461								SFP	
4703	S3A026	1	9/14/1985	15,089	1.88	ABB Combustion Engineering	16x16	426171								SFP	
4703	S3A019	1	9/14/1985	14,933	1.88	ABB Combustion Engineering	16x16	427871								SFP	
4703	S3A038	1	9/14/1985	14,861	1.88	ABB Combustion Engineering	16x16	427162								SFP	
4703	S3A061	1	9/14/1985	14,400	1.89	ABB Combustion Engineering	16x16	426886								SFP	
4703	S3A040	1	9/14/1985	14,388	1.88	ABB Combustion Engineering	16x16	427397								SFP	
4703	S3A043	1	9/14/1985	14,387	1.88	ABB Combustion Engineering	16x16	428572								SFP	
4703	S3A046	1	9/14/1985	14,371	1.88	ABB Combustion Engineering	16x16	427795								SFP	
4703	S3A045	1	9/14/1985	14,344	1.89	ABB Combustion Engineering	16x16	428142								SFP	
4703	S3A059	1	9/14/1985	14,343	1.89	ABB Combustion Engineering	16x16	426225								SFP	
4703	S3A060	1	9/14/1985	14,330	1.89	ABB Combustion Engineering	16x16	427467								SFP	

Unit 3 San Onofre Reactor Data (DOE Form GC-859 Schedule C)

Reactor	Assembly ID	Last Cycle	Shut Down Date	Discharge Burnup (round up)	OW Enrich (round down)	Fuel Manufacturer	Lattice Size	Total U	Non-Standard	Failed	Containerized	Fuel Rod(s) Removed	Replacement Rods (fueled)	Replaced Rods (non-fueled)	Other	Storage Location	Cycle: Total Failed	
4703	S3A066	1	9/14/1985	14,289	1.88	ABB Combustion Engineering	16x16	426747								SFP		
4703	S3A055	1	9/14/1985	14,287	1.88	ABB Combustion Engineering	16x16	427293								SFP		
4703	S3A057	1	9/14/1985	14,251	1.89	ABB Combustion Engineering	16x16	428142								SFP		
4703	S3A065	1	9/14/1985	14,241	1.88	ABB Combustion Engineering	16x16	427579								SFP		
4703	S3A047	1	9/14/1985	14,212	1.88	ABB Combustion Engineering	16x16	428199								SFP		
4703	S3A062	1	9/14/1985	14,210	1.89	ABB Combustion Engineering	16x16	426963								SFP	C1: 0	
1350	Total SFP Assemblies in Unit 3								572,630,269	0	16	0	14	2	14	0		